Russound®

experience 40

forty years of value

2007 International Guide

#1 Brand in Multiroom Audio*

*June, 2005 and June, 2006 studies by EH Research.

Table of Contents

Russound Products

Multiroom Audio and Video Solutions

Source Equipment 4–7
RNET® Systems 8–15
Video Distribution Systems 16
CAA Systems 17–21
CAS Systems 22–28
A-BUS® Systems 29–34
ComPoint™ Intercom System 35–39
R-Series Multiroom Amplifiers 40–42

Speaker Selectors

SS Series 43
SDB Series 44
Impedance Matching Devices/Misc. Speaker Selectors 44–45

Volume Controls

ALTx Series 46–47
LPTx Series 47
Master Packs 47–48
Special Application 48
Smart Select 49
Color Conversion Kits 50
Accessories 51

Speakers

Contractor Series 53
Atmosphere™ Series 54
Advantage™ Music Series 55
Advantage™ Hi-Fi Series 56
Contractor Series Spec. Chart 57
Atmosphere Series Spec. Chart 58
Advantage Series Spec. Chart 59

Rough-in Brackets

Contractor Series Rough-in Brackets 60
Advantage & Atmosphere Series Rough-in Brackets . . . 60

Special Purpose Speakers 61
OutBack Rocks Speakers 62
OutBack Outdoor Speakers 63

PlateMate™

Plates Assembled with Gold Connectors 64
PlateMate Special Application Plates 65
PlateMate Box & Boxed Kits 66
Special Application Connectors 67
Decora-style Wallplates 68–69
Plastic Work Boxes – Retrofit 69
Plastic Work Boxes – New Construction 70
P-rings – Retrofit 70
Outdoor Thermoplastic Waterproof Covers 71
Miscellaneous Boxes 72

SaphIR™

SaphIR Solutions 74
SaphIR Keypads and Remotes 75
SaphIR Receivers 75–76
SaphIR Emitters 77
SaphIR Connecting Blocks 77
SaphIR Cables and Extensions 78
SaphIR Power Supplies 78

Accessories

System Accessories 79
Data and Speaker Cables 79

Literature

Point of Purchase and Sales Materials 80
Product Literature 81–83
Raw part pricing 84–85
Terms 86

Product Legend

= 110 volt US Style Power Cord

= 220 volt EU Style Power Cord

= 220 volt UK Style Power Cord

= Only available in 110 volt

= Ships with no power supply

= Euro Style keypad

Order Box Example

Order #	Color
1200-117985	White US
1200-118432	Almond US
1200-118029	White EU
1200-119040	Almond EU
1200-118036	White UK
1200-119057	Almond UK

©2006 Russound, Inc. All rights reserved. Prices and specifications subject to change without notice. Russound is not responsible for typographical errors. E. & O. E. Decora® is a registered trademark of Leviton Corporation. A-BUS® is a registered trademark of LeisureTech Pty Ltd Australia. iPod® is a registered trademark of Apple Computer, Inc. All other trademarks are the property of their respective owners. Russound brand-ranking data from a June, 2005 and June, 2006 studies by EH Research.

Russound

Hello from Russound

This year marks our fortieth year in business. Like many who turn forty, we have taken some time to think about who we are and where we're headed. We are a mature company placed within a vibrant and changing market. We have a good idea of what works and what doesn't, plus the resources to focus on the future. We are also an enterprising company, committed to remaining independent as we continue to grow. We hold a point of view about the market, our products, technology and doing business. It's not in our nature to compromise. We measure our success not just by dollars, but by the strength of our relationships. Our products offer value, reliability and a user experience second to none. Our relationships shape our future. Being ranked as the number one brand in multiroom audio two years in a row confirms we are a trusted partner.

The guide you hold in your hand contains a wealth of information. Not only about Russound products, but also what's available to you to support your sales and grow your business. Don't be shy, we're here to help you.

Sincerely,

Maureen K. Baldwin

Maureen K. Baldwin
President

History of Russound

In 1967 in a quiet town in rustic New England, Russound was founded based on a desire to make the finest audio accessories on the market. The company's early products included hi-fi accessory "solutions" such as speaker selectors, tape monitor switchers and volume controls. Russound became synonymous for their high-quality volume controls and soon developed a reputation as the industry's leading manufacturer.

While the product offerings expanded, Russound evolved into both an OEM manufacturer and a manufacturer and marketer of their own brand of products. Due to the high value, uniqueness, reliability and simplicity of their products, Russound became the preferred brand for installers in a wide variety of markets -- from custom residential to light commercial to security and low voltage contractors.

Over the years, Russound steadily developed a full line of quality products for the custom installation markets. The company increasingly became known for their performance, reliability and service. As the custom and low voltage installation markets grew, Russound listened and responded with exciting products -- controller amplifiers, processors, multi-channel amplifiers, keypads, in-wall and outdoor loudspeakers and more.

Russound became known as an outstanding and easy company to do business with offering the finest technical support that included extended hours, education and training for both in-house and in-the-field. Around the world, Russound built long-term relationships with their representatives, distributors, dealers and installers. And that vision still lives on, as exciting new technologies and new demands of the 21st century inspire the company to create all new solutions for their customer needs.

Today in Newmarket, New Hampshire, Russound continues to design, manufacture and market innovative products that sound great, are easy to install, simple to use and that offer great value. In addition to volume controls, Russound also offers complete multiroom audio/video control systems, multi-channel amplifiers, in-wall and outdoor loudspeakers. Russound believes their products are the finest on the market and remain dedicated to delivering to their customers the right products for the right job. Russound is still "The Right Connection."

SMS3

Smart Media Server

One server...

...three streams of music



What's Playing

Select Music

View Images

Watch it. Hear it. Believe it.

The SMS3's proprietary user interface displays cover art and includes an image viewer for digital photos.

Three simultaneous music performances in different rooms for different people. Enjoy your library of music and digital images. Wherever and whenever you want. CD. MP3. Internet radio. Digital photos.

All by touching a button.

Source Equipment

SMS3-250 Smart Media Server

Now!





RNET

SMS3 Smart Media Server: Three independent music streams, Personal Media Assistant organizes your media automatically. Integrates with virtually any multi-room audio system. 250GB hard drive for nearly unlimited storage, TV display of user interface with IR remote control,RNET link for integration with Russound's CAV6.6 or CAM6.6 and UNO-S2. Gracenote, and MUZE Metafile (title, artist and song list) and cover art support, CD-ROM drive for archiving and listening to CDs, Internet radio support.
Included: (1) SMS3-250 Media Server, (1) SMS3-RC Remote Control, (3) RCA cables, (1) Composite Video cable, Pair rack-mount ears, power supply. Rack-mountable at 1 unit high.
17" W x 8" D x 1.75" H (43 x 20.3 x 4.4 cm)

Shipping Weight
14 lbs (6.4kg)

Product	Order #
SMS3-250 US	2420-523809
SMS3-250-EU	2420-524103
SMS3-250-UK	2420-524097

gracenote disc muze

SMS3 Smart Media Server

RNET

SMS3 Smart Media Server: Three independent music streams, Personal Media Assistant organizes your media automatically. Integrates with virtually any multi-room audio system. 160GB hard drive for nearly unlimited storage, TV display of user interface with IR remote control,RNET link for integration with Russound's CAV6.6 or CAM6.6 and UNO-S2. Gracenote, and MUZE Metafile (title, artist and song list) and cover art support, CD-ROM drive for archiving and listening to CDs, Internet radio support.
Included: (1) SMS3 Media Server, (1) SMS3-RC Remote Control, (3) RCA cables, (1) Composite Video cable, Pair rack-mount ears, power supply.
Rack-mountable at 1 unit high.
17" W x 8" D x 1.75" H (43 x 20.3 x 4.4 cm)

Shipping Weight
14 lbs (6.4kg)

Product	Order #
SMS3 US	2420-521089
SMS3-EU	2420-521690
SMS3-UK	2420-521706

gracenote disc muze

Source Equipment

Source Equipment



New!

iBridge Dock Kit

Made for iPod

The iBridge Dock Kit, BGK1 allows you to use an iPod as a remote source for a Russound RNET or other multiroom audio-video system. Used with a Russound RNET A/V Decoder, it provides either RNET or infrared (IR) control of the iPod, depending on the type of system. Supports rev. 3.0 or higher iPod.

Shipping Weight
TBD

Product	Order #
BGK1	2410-121906
BGK1-EU	2430-526589

ST2 Dual Tuner

Shipping Weight
7 lbs (3.2kg)

Product	Order #
ST2 US	2410-121906
ST2-EU	2410-520129
ST2-UK	2410-520143

ST2 Tuner – Dual AM/FM tuner. Can be used in an IR-controlled, A-BUS, CAA, CAS or RNET-enabled system. When used with CAV6.6 or CAM6.6 sends tuner information to UNO-S2 keypad. RS-232 port for whole-house control integration and backups. Seek and scan functions. Stores up to 72 station presets with custom naming. Includes AM and FM antennas (2 each), RCA cables, ST2-RC Remote Control, rack-mount ears, 12VDC power supply. Rack-mountable at 1 unit high.
17" W x 8" D x 1.75" H (43 x 20.3 x 4.4 cm)

Source Equipment

Now! ST2-XM2 Smart Tuner

Shipping Weight
7 lbs (3.2kg)

Product	Order #
ST2-XM2 US	2410-522017

CANADA ONLY

RNET

XM Features
- Over 150 channels • Music, news, talk, sports and traffic
- Digital quality audio • Coast-to-coast coverage

ST2 Smart Tuner – with 2 XM tuners. Can be used in an IR-controlled, A-BUS or RNET-enabled system. When used with CAV6.6 or CAM6.6 sends tuner information to UNO keypads. RS-232 port for whole-house control integration and backups. Seek and scan functions. Stores up to 72 station presets with custom naming. Includes (2) XM antennas, RCA cables, ST2-RC Remote Control, rack-mount ears, 12VDC power supply. Rack-mountable at 1 unit high.
17" W x 8" D x 1.75" H (43 x 20.3 x 4.4 cm)

ST2-XM Smart Tuner

Shipping Weight
7 lbs (3.2kg)

Product	Order #
ST2-XM US	2410-521072

CANADA ONLY

RNET

XM Features
- Over 150 channels • Music, news, talk, sports and traffic
- Digital quality audio • Coast-to-coast coverage

ST2 Smart Tuner – 1 AM/FM tuner and 1 XM tuner. Can be used in an IR-controlled, A-BUS or RNET-enabled system. When used with CAV6.6 or CAM6.6 sends tuner information to UNO keypads. RS-232 port for whole-house control integration and backups. Seek and scan functions. Stores up to 72 station presets with custom naming. Includes AM and FM antennas, XM antenna, RCA cables, ST2-RC Remote Control, rack-mount ears, 12VDC power supply. Rack-mountable at 1 unit high.
17" W x 8" D x 1.75" H (43 x 20.3 x 4.4 cm)

ST2-KP

The ST2-KP Smart Tuner keypad allows you to view station feedback and lets you select your favorite preset station in any non-RNET system where a tuner display and control is desired. Great with CAA, CAS series, A-BUS, volume controls or with any other audio system where a remote tuner is desired.

***Wall plates not included with keypads.**
1.3125" W x 2.5" H x 1.375" D (33.5 x 63.5 x 35 mm)

Shipping Weight
3oz (.1kg)

Order #	Color
2410-520846	White
2410-520853	Almond
2410-520860	Bone
2410-520884	Black
2410-520877	Brown

The easier it is for you, the better it is for your customers.

Introducing FREE on-line training

Point and click your way to Russound's comprehensive on-line education program for multiroom audio/video design and installation. The initial curriculum features an overview of RNET two-way communication and specific Russound RNET components including the CAV6.6, the SMS3 Smart Media Servers and the ST2 Smart Dual Tuner series. Each course delivers technical and sales-related information that will expand your knowledge and improve your bottom line.

Learn more (and learn more) at www.russound.com/edu or e-mail to courseware@russound.com.

While you're there, check out Russound's upcoming RNET Roadshow and new In-House Training Facility.

Russound.

RNET

UNO-TS2
SMART TOUCHSCREEN

Double Gang Color Touchscreen for RNET Controllers

Features: High-resolution color LCD 3.75" diagonal touchscreen, 16-bit color, 320 x 240 pixels, IR pass-through, 110 punch-down for CAT-5 connection, hard keys for most commonly used functions, soft keys for all other selections. When controlling the newest Russound components like the SMS3 media server, ST2 line of smart tuners, and the a Dock, the touchscreen can display channel, artist, song title, genre, as well as custom names for preset banks and sources.
For IR controlled sources, control templates are built in, making programming minimal.

Benefits

Informative Real-time display shows what's playing, with volume level and individualized playlist information right on the touchscreen

Innovative Built on award-winning RNET technology offering complete control and limitless possibilities

Effortless Full featured, high-resolution color LCD 3.75" diagonal touchscreen is easy to read and simple to navigate

Practical Virtually no programming required and its compact, flush design fits neatly in a double-gang box.

***After the first UNO-TS2, each additional UNO-TS2 REQUIRES an SA-ZX3 keypad splitter.**

Order #	Color
2500-521171	White
2500-521973	Almond
2500-521980	Bone
2500-521997	Black
2500-522000	Brown

Shipping Weight
18.5 oz.(524.5 g)

Now!

UNO-TS2D
SMART TOUCHSCREEN DESKTOP

Desktop version of the UNO-TS2 wall-mounted touchscreen. Complete control of RNET components and multiroom system from nightstand, kitchen counter or home theater seat. Unique sculpted shape, weighted case, non-skid base and easy-view screen angle. High-resolution color LCD 3.75" diagonal touchscreen, 16-bit color, 320 x 240 pixels. Hard buttons for most commonly used functions, female RJ45 CAT-5 connection, IR pass-through.
5.92"W x 5.38"D x 4.68"H (15.2 x 13.8 x 12.0 cm)

Order #	Color
2500-526718	White
2500-526725	Black

Shipping Weight
1.93 lbs. (0.87 kg)

RNET Systems



All our UNO keypads display the rich RNET content

Designed from the ground up by Russound Engineers, RNET technology delivers Sound Intelligence to multiroom audio. RNET provides intelligent audio features; music details are delivered to keypads, pre-programmed components, and fully integrated products. The result is unsurpassed performance, faster installation and end-user satisfaction. From controllers, keypads and touchscreens to source equipment, RNET offers everything you need.

UNO-S1

Single Gang System Control Keypad for RNET controllers

Features: Scrolling 5 character LCD and back lit buttons selectable color (green or amber), custom source names, IR pass-through, 110 Punch-down connector, system status feedback: volume, bass, treble, balance, shared source, party mode, Do Not Disturb, All On, All Off. Wall plate included

1.3125" W x 1.125" D x 2.5" H (3.3 x 3.2 x 6.35 cm)

Order #	Color
2500-520341	White
2500-520358	Almond
2500-520372	Bone
2500-520389	Black
2500-521652	Brown

Shipping Weight **6oz (.1kg)**

UNO-S2

Double Gang Keypad for the RNET Controller.

Features: Scrolling 12 character LCD and backlit buttons with selectable color (green or amber), custom source names, IR pass-through, 110 Punch-down connector, system status feedback: volume, bass, treble, balance, shared source, party mode, Do Not Disturb, All On, All Off Wall plate included *3.65" W x 1.125" D x 4.3" H (9.2 x 10.9 x 2.8 cm)*

Order #	Color
2500-119675	White
2500-119682	Almond
2500-119699	Bone
2500-119705	Black
2500-119712	Brown

Shipping Weight **2 lbs (1.9kg)**

With a set of friendly features, real-time feedback and a depth of information that allows you to easily choose what to hear and see in any room of your home, RNET effortlessly gives you complete and simple control – plug and play connection convenience – throughout the house.

Programming Cable

Basic programming cable for UNO-TS2, UNO-TS2D, UNO-S2 and SaphIR K2 keypads. Female DB-9 connection (PC end) and flat keypad pin connection (keypad end). *72" L (182.9 cm)*

Order #
2500-121036

Shipping Weight **1 lbs.(0.45 kg)**

Advanced Programming Cable

Advanced programming cable for UNO-S1, KP4, KP6, KPL keypads, ComPoint components (ISK1, ISK2, ISK3, ISH1), and iBridge Dock. Female DB-9 connection (PC end) and flat device pin connection (device end). *72" L (182.9 cm)*

Order #
2500-521065

Shipping Weight **1 lbs.(0.45 kg)**

Multisource/Multiroom RNET Systems

CAV6.6



Shipping Weight
27 lbs (12.2kg)

Product	Order #
CAV6.6 US	1500-119668
CAV6.6-EU	1500-120398
CAV6.6-UK	1500-120404

Six Zone/Six Source Audio Video Controller Amplifier.
Features: (6) Six zones, adjustable bass/treble/loudness/balance, (40 Watts per zone), (6) A/V Source Inputs and loop outputs, (6) Variable line outputs, routed IR, (4) A-BUS® ready sub-zones, Built-in IR Learner and Pre-programmed IR library, paging and doorbell muting. Front and rear RS-232 serial ports, color-coded detachable 14-gauge snap connectors, front panel A/V auxiliary input, rack-mount 2-unit high. (6) IR Emitters, 12 Volt & H.T. triggers. **Controller Only,** No keypads. Rack ears included.
17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)

RNET FC CE A-BUS READY EXCITE CustomRetailer Winner 2004 TechHome Mark of Excellence INNOVATIONS 2003

Shipping Weight
32 lbs (14.4kg)

Order #	Color
1500-119644	White US
1500-119651	Almond US
1500-120411	White EU
1500-120428	Almond EU
1500-120435	White UK
1500-120442	Almond UK



CAV6.6-S2

CAV6.6 Controller with (6) UNO-S2 Keypads, (1) Remote, (6) 845.1 and (1) Punchdown Tool. Wall plates and rack ears included

WINNER CEDIA EXPO AUDIOVISION AWARDS INNOVATIONS 2003 CE Pro Home Theater Products of the Year

RNET FC CE A-BUS READY

RNET Systems

Multisource/Multiroom RNET Systems

CAM6.6





RNET

Shipping Weight
27 lbs (12.2kg)

Product	Order #
CAM6.6 US	1600-521836
CAM6.6-EU	1600-521850
CAM6.6-UK	1600-521843

Six Zone/Six Source Controller Amplifier

Features: (6) Six zones (40 Watts per zone), (6) Source Inputs, (2) Fixed or Variable line outputs, routed IR, adjustable bass/treble/loudness/balance, Built-in IR Learner and Pre-programmed IR library, muting. Rear RS232 port, color-coded detachable 14-gauge snap connectors, rack-mount 2-unit high. (6) IR Emitters, 12 Volt & H.T. triggers. Controller Only NO TUNER, no remote control, No keypads. Rack ears. *17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)*

RNET

Shipping Weight
TBD

CAM6.6-S2

CAM6.6 Controller with (6) UNO-S2 Keypads, (1) remote (6) 845.1 and (1) Punchdown Tool. **NO TUNER.**
Wall plates and rack ears included

Order #	Color
1600-524233	White US
1600-524226	Almond US
1600-524387	White EU
1600-524370	Almond EU
1600-524400	White UK
1600-524394	Almond UK

RNET

Shipping Weight
32 lbs (14.4kg)

CAM6.6-S1

CAM6.6 Controller with (6) UNO-S1 Keypads, (1) remote (6) 845.1 and (1) Punchdown Tool. **NO TUNER.**
Wall plates and rack ears included

Order #	Color
1600-521782	White US
1600-521867	Almond US
1600-521812	White EU
1600-521829	Almond EU
1600-521799	White UK
1600-521805	Almond UK

Russound

Multisource/Multiroom RNET Systems

CAM6.6T

Now!





RNET

Shipping Weight
27 lbs (12.2kg)

Product	Order #
CAM6.6T US	1600-521256
CAM6.6T-EU	1600-521621
CAM6.6T-UK	1600-521614

Six Zone/Six Source Receiver

Features: (6) Six zones (40 Watts per zone), Internal AM/FM Tuner, (5/6) Source Inputs, (2) Fixed or Variable line outputs, routed IR, adjustable bass/treble/loudness/balance, Built-in IR Learner and Pre-programmed IR library, muting. Rear RS232 port, color-coded detachable 14-gauge snap connectors, rack-mount 2-unit high. (6) IR Emitters, 12 Volt & H.T. triggers. Controller Only, No keypads. Rack ears and AM/FM antennas included. *17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)*

Now!

RNET

Shipping Weight
TBD

Order #	Color
1600-524301	White US
1600-524295	Almond US
1600-524325	White EU
1600-524318	Almond EU
1600-524349	White UK
1600-524332	Almond UK

CAM6.6T-S2

CAM6.6T Controller with (6) UNO-S2 Keypads, (1) remote
(6) 845.1 and (1) Punchdown Tool.
Wall plates and rack ears included

Now!

RNET

Shipping Weight
32 lbs (14.4kg)

Order #	Color
1600-521225	White US
1600-521584	Almond US
1600-521577	White EU
1600-521607	Almond EU
1600-521553	White UK
1600-521591	Almond UK

CAM6.6T-S1

CAM6.6T Controller with (6) UNO-S1 Keypads, (1) remote
(6) 845.1 and (1) Punchdown Tool.
Wall plates and rack ears included

RNET Systems

RNET Accessories

CAM6.6X

CANADA ONLY

Shipping Weight
27 lbs (12.2kg)

Six Zone/Six Source Receiver Features: (6) Six zones (40 Watts per zone), Internal XM Satellite Radio, (5/6) Source Inputs, (2) Fixed or Variable line outputs, routed IR, adjustable bass/treble/loudness/balance, Built-in IR Learner and Pre-programmed IR library, muting. Rear RS232 port, color-coded detachable 14-gauge snap connectors, rack-mount 2-unit high. (6) IR Emitters, 12 Volt & H.T. triggers. **Controller Only**, No keypads. Rack ears and XM antenna with 20' lead included. *17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)*

Order #
1600-521638

CANADA ONLY

Shipping Weight
TBD

CAM6.6X-S2

CAM6.6X Controller with (6) UNO-S2 Keypad, (1) UNO-LRC1, (6) 845.1 and (1) Punchdown Tool.

Wall plates and rack ears included

Order #	Color
1600-524233	White
1600-524226	Almond

CANADA ONLY

Shipping Weight
32 lbs (14.4kg)

CAM6.6X-S1/S2

CAM6.6X Controller with (1) UNO-S2 Keypad, (5) UNO-S1 Keypads, (1) UNO-LRC1. (6) 845.1 and (1) Punchdown Tool. Wall plates and rack ears included

Order #	Color
1600-521263	White
1600-521645	Almond

Russound

RNET Accessories continued

A-OM

Now!

A-BUS Line Level Output Module surface-mount module provides a fixed-level stereo line output from an A-BUS hub's keypad port or other A-BUS-ready multiroom controller for sending fixed-level audio signals to an external amplifier or receiver. RJ45 CAT-5 cable connection, RCA jacks for left-right audio, IR receiver input terminals. *3.33" W x 2.38" H x 1.59" D (8.4 x 6.0 x 4.0 cm)*

Order # 2000-526473

Shipping Weight 5.6 oz (158 g)

PC Power Tool

PC Power Tool – Custom Software
Custom Software program for fast, accurate configuration of ST2, CAV6.6 and CAM6.6 systems. Rugged carrying case contains Custom software CD, Quick Start Guide, Punchdown tool, controller and Keypad cables.

Order # 1999-520105

Shipping Weight 1 lb (.45kg)

SRC2

Now!

The SRC2 Remote Control is the complete solution for all of your remote control requirements. It is designed to operate source devices and Russound audio system keypads. Controls up to eight devices.

Order # 1210-524196

Shipping Weight 1 lb (.45kg)

SA-ZX3

UNO Series Keypad Splitter Allows up to 3 UNO Series keypads to be connected to one keypad output on the CAV6.6., CAM6.6. or to increase power available for multiple UNO-TS2 touchscreen on the same controller. Features (1) RJ-45 input jack, (3) RJ-45 keypad jacks, (1) 1201A power supply included, small footprint for easy installation & placement.

RNET

Shipping Weight 1 lb (.45kg)

Product	Order #
SA-ZX3 US	2500-120497
SA-ZX3 EU/UK	2500-120176

ACT-1

120 VAC - 12-Volt DC triggered outlet with resettable circuit breaker. Switches up to 10 amps.
3.75" W x 2" H x 5" D (9.5 x 5.1 x 12.7 cm)

c UL us LISTED

Order # 9500-115592

Shipvping Weight 12.5oz (.4kg)

DIM-1

Doorbell Interface Module. Provides 12VDC triggered output. Ideal for muting the PR-4Zi, CAV6.6, CAM6.6, CA6.4i and CA4.4i. Versatile in many other applications.
3.375" W x .625" H x 1.6875" D (85.8 x 15.9 x 42.9 mm)

Order # 9500-113116

Shipping Weight 6oz (.2kg)

AW162CL3

2 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL type CL3, LIGHT BLUE JACKET. 1000 foot pull-box only.

Order # 9000-119316

Shipping Weight 30.4 lbs (13.8kg)

AW164C5

4 pair twisted, 24 gauge, CAT-5E cable, solid copper, PVC jacket, telephone/data grade/ISDN. Zipcord with 4 conductor, 16 gauge speaker cable. 500 foot spool. PINK jacket.

Order # 9000-121838

Shipping Weight 66 lbs (29.7kg)

AWCAT5

8 conductor, 24 gauge CAT-5E, 4 pair twisted, solid copper, PVC jacket, telephone/data grade/ISDN, GRAY JACKET. 1000 Foot pull-box only.

Order # 9000-119323

Shipping Weight 24 lbs (10.9kg)

Video Distribution

Video Baluns

VBHD Kit



VBHD Component Audio Active Balun Kit
Video balun kit for sending component video over CAT-5 up to 500 feet point to point. Includes the HDTX Transmitter module, the HDRX Receiver module and 12VDC 200mA power supply. RCA component video jacks, RJ45 CAT-5 connection.

Order #
9590-526220

Shipping Weight
4.8 oz (136g)

VBC Kit



VBC Composite Audio-Video Active Balun Kit
Audio-video balun kit for sending composite video and audio over CAT-5 up to 1000 feet point to point. Includes the CTX Transmitter module, the CRX Receiver module and 12VDC 200mA power supply (for either module). RCA jacks for left-right audio, composite video and RJ45 CAT-5 connection.

Order #
9590-526237

Shipping Weight
4.8 oz (136g)

MOD-VB

Composite Video Connector
Premium gold plated RCA. Converts composite video signal from RCA to CAT-5 cable. Sold in pairs.

Order #
7103-121876

Shipping Weight
2oz (.05 kg)



Multiroom audio is…

a music system that can be heard in and operated from any room in my home.

I choose Russound because…

Russound systems are easy-to-use, reliable and affordable.

I want multiroom audio because…

I can enjoy music or talk radio or sports in any room at the touch of a button.

For affordable excellence, the CAA66 six-zone/six-source controller-amplifier offers advanced features: simplified programming, audio playback adjustments, extensive IR device codes and learning capabilities, and is expandable to 36 zones, with multiple keypad support per zone.
The new CAA66 offers exceptional value and straightforward operation for multiroom audio made easy.

CAA66 System

Controller Amplifier: Advanced 6 Source/6 Zone continued

CAA66 Controller Amplifier: Advanced 6 source/6 zone



Shipping Weight
17 lbs. 12.5 oz (8 kg)

Controller Amplifier: Advanced 6 Source/6 Zone
Features: (6) Six zones (40 Watts per zone) Front panel programing center, built-in IR learning, rear RS-232 serial port, extensive built-in IR library, controller link in and out, color-coded detachable 14-gauge snap connectors, rack-mount 2-unit high. (6) IR Emitters, Controller Only, No keypads. Rack ears included.
17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)

Product	Order #
CAA66 US	1210-524882
CAA66 EU	1210-525827
CAA66 UK	1210-525834



KPL LCD Keypad

In-wall Decora® style single-gang keypad features backlit LCD panel, amber backlit soft-touch buttons, custom source names, IR pass-through, 110 punchdown connector, system status feedback, and user adjustable zone bass, treble, loudness and balance.
Wall plate not included.
1.85"W x 2.7"D x 1.47"H (4.7 x 6.9 x 3.7 cm)

Shipping Weight
4.5 oz. (127.6 g)

Order #	Color
1210-524905	White
1210-524912	Almond

Russound

CAA66 Kits

KP6
CAA66 System Keypad

Single Gang System Keypad for CAA66 Systems

In-wall Decora® style single-gang keypad features amber backlit soft-touch buttons, 20 source name labels, source selection, plus IR pass-through and confirmation. 110 punchdown connector, installer adjustable zone bass, treble, loudness and balance. Wall plate not included.

1.85"W x 2.7"D x 1.47"H (4.7 x 6.9 x 3.7 cm)

Shipping Weight
4.0 oz. (113 g)

Order #	Color
1210-524950	White
1210-524967	Almond

KPSC
Source Control Keypad

Optional Keypad for KP6 or KPL Keypad: CAA66 ONLY
NOT A STAND ALONE KEYPAD

In-wall Decora® style single-gang keypad accessory adds source control and numeric control capability to KP6 and KPL keypads. Amber backlit soft-touch buttons. Wall plate not included.

1.85"W x 2.7"D x 1"H (4.7 x 6.9 x 2.5 cm)

*not compatible with CAS44

Shipping Weight
3 oz. (85 g)

Order #	Color
1210-525056	White
1210-525063	Almond

Configuration options



Option 1: KP6 with KPSC

Option 2: KPL with KPSC

SRC1
CAA System Remote Control

The SRC1 Remote Control is designed for use with Russound controllers and keypads in CAA66, CAM6.6, CAV6.6 and RNET® systems. The SRC1 is a system remote only and does not support learning IR codes.

Shipping Weight
3 oz. (85 g)

Order #	**Color**
1210-524127	Black

CAA66 System

CAA66 Kits

CAA66L Kit

Shipping Weight
TBD

CAA66 controller with 6 KPL advanced system keypads, (6) 845.1 single emitters, punchdown tool, (1) system remote control. Features: (6) zones (40W per zone), (6) audio source inputs, (2) fixed/variable audio line level outputs, (6) routed and (1) common IR outputs, mute 12V trigger in, 12V trigger out, rear RS-232 serial port, color-coded detachable 14 gauge snap connectors and rack-mount 2U high (rack ears included). Controller link in/out for expansion up to 6 controllers per system. Front panel programming center, extensive built-in IR library and built-in IR learning. Decora® style KPL single-gang keypad has amber backlit LCD panel, source selection, system status indication plus IR pass-through and confirmation. EU and UK kits include wallplates. EU and UK kits include wallplates.
17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)

Order #	Color
1210-524769	White US
1210-524776	Almond US
1210-525582	White EU
1210-525612	Almond EU
1210-525605	White UK
1210-525629	Almond UK

CAA66L-SPK Kit with Speakers



USA ONLY

Shipping Weight
TBD

CAA66 controller with 6 KPL advanced system keypads, (6) 845.1 single emitters, punchdown tool, (1) system remote control and (6) pair of SP-C523 Contractor™ speakers. Features: (6) zones (40W per zone), (6) audio source inputs, (2) fixed/variable audio line level outputs, (6) routed and (1) common IR outputs, mute 12V trigger in, 12V trigger out, rear RS-232 serial port, color-coded detachable 14 gauge snap connectors, rack-mount 2U high (rack ears included). Controller link in/out for expansion up to 6 controllers per system. Front panel programming center, extensive built-in IR library and built-in IR learning. Decora® style KPL single-gang keypad has amber backlit LCD panel, source selection, system status indication plus IR pass-through and confirmation. Also includes:
(1) ACT1 12v triggered AC outlet. USA ONLY.

Order #	Color
1210-521225	White US
1210-521584	Almond US
1210-525636	White EU
1210-525650	Almond EU
1210-525643	White UK
1210-525667	Almond UK

Russound

CAA66 Kits

CAA66K Kit

New!



Shipping Weight
TBD

CAA66 controller with (6) KP6 system keypads, (6) 845.1 single emitters, punchdown tool, (1) system remote control. Features: (6) zones (40W per zone), (6) audio source inputs, (2) fixed/variable audio line level outputs, (6) routed and (1) common IR outputs, mute 12V trigger in, 12V trigger out, rear RS-232 serial port, color-coded detachable 14 gauge snap connectors and rack-mount 2U high (rack ears included). Controller link in/out for expansion up to 6 controllers per system. Front panel programming center, extensive built-in IR library and built-in IR learning. Decora® style KP6 single-gang keypad has amber backlit buttons, 20 source name labels, source selection, plus IR pass-through and confirmation.
17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)

Order #	Color
1210-524806	White US
1210-524813	Almond US
1210-525674	White EU
1210-525698	Almond EU
1210-525681	White UK
1210-525704	Almond UK

CAA66K-SPK Kit with Speakers

New!



USA ONLY

Shipping Weight
TBD

CAA66 controller with (6) KP6 system keypads, (6) 845.1 single emitters, punchdown tool, (1) system remote control and (6) pair of SP-C523 Contractor™ speakers. Features: (6) zones (40W per zone), (6) audio source inputs, (2) fixed/variable audio line level outputs, (6) routed and (1) common IR outputs, mute 12V trigger in, 12V trigger out, rear RS-232 serial port, color-coded detachable 14 gauge snap connectors, rack-mount 2U high (rack ears included). Controller link in/out for expansion up to 6 controllers per system. Front panel programming center, extensive built-in IR library and built-in IR learning. Decora® style KP6 single-gang keypad has amber backlit buttons, source selection, plus IR pass-through and confirmation. Also includes:
(1) ACT1 12v triggered AC outlet. USA ONLY.

Order #	Color
1210-526077	White US
1210-526107	Almond US
1210-526084	White EU
1210-526114	Almond EU
1210-526091	White UK
1210-526121	Almond UK

CAS44 Systems

Let the music find *

Anywhere in your home, indoors or out, there can be music. Or sports. Or news.
A Russound multiroom audio system is affordable, easy to use and easy to DO.

For genuine ease, the CAS44 four-zone/four-source controller amplifier includes features not typically found in competitive models at this price point. Expandable to eight zones, a CAS44 system supports multiple keypads per zone. The new CAS44 offers exceptional value and straightforward operation for multiroom audio made easy.

It's the kind of home improvement that brings you pleasure every day.
Ask your Russound design specialist for a solution that meets your needs and budget.

All you need to know is Russound.

Russound

CAS44
Controller Amplifier: Simple 4 source/4 zone





Shipping Weight
17 lbs. 12.5 oz (8 kg)

Controller Amplifier: Simple 4 source/4 zone
Features: (4) four zones (40 Watts per zone) and rear RS-232 serial ports, color-coded detachable 14-gauge snap connectors and rack-mount 2-unit high. (2) 1584.1 Dual head IR emitter, **Controller Only,** No keypads. Rack ears included. *17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)*

Product	Order #
CAS44 US	1210-524899
CAS44 EU	1500-525841
CAS44 UK	1500-525858

CAS44 Kits

CAS44 Kits



KPL
LCD Keypad

Single Gang System Keypad for CAA66 and CAS44 Systems

In-wall Decora® style single-gang keypad features backlit LCD panel, amber backlit soft-touch buttons, custom source names, IR pass-through, 110 punchdown connector, system status feedback, user adjustable zone bass, treble, loudness and balance. Wall plate not included.

1.85"W x 2.7"D x 1.47"H (4.7 x 6.9 x 3.7 cm)

Shipping Weight
4.5 oz. (127.6 g)

Order #	Color
1210-524905	White
1210-524912	Almond



KP4
CAS44 System Keypad

Single Gang System Keypad for CAS44 Systems

In-wall Decora® style single-gang keypad features amber backlit soft-touch buttons, 20 source name labels, source selection, plus IR pass-through and confirmation. 110 punchdown connector, installer adjustable zone bass, treble, loudness and balance. Wall plate not included.

1.85"W x 2.7"D x 1.47"H (4.7 x 6.9 x 3.7 cm)

Shipping Weight
4.0 oz. (113 g)

Order #	Color
1210-525001	White
1210-525018	Almond

CAS-RC
CAS System Remote Control

The CAS-RC Remote Control is designed for use with the Russound CAS44 controller amplifier and system keypads (KP6, KP4, and KPL). It is designed to operate source devices and the audio system keypad, and is preprogrammed to control Russound components ST2 Tuner and SMS3 Media Server. The CAS-RC controls up to four devices.

Shipping Weight
3 oz. (85 g)

Order #	Color
1210-524134	Black

Russound

CAS44 Kits

CAS44L Kit



Shipping Weight
TBD

CAS44 controller with 4 KPL advanced system keypads, (2) 1584.1 dual emitters, rack ears, punchdown tool, (1) learning/preprogrammed system remote control, (1) IR link cable. Features: (4) zones (40W per zone), (4) audio source inputs, (2) common IR outputs, mute 12V trigger in, 12V trigger out, rear RS-232 serial port, color-coded detachable 14 gauge snap connectors and rack-mount 2U high (rack ears included). Decora® style KPL single-gang keypad has amber backlit LCD, source selection, system status indication plus IR pass-through and confirmation. EU and UK kits include wallplates.
17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)

Order #	Color
1210-524820	White US
1210-524837	Almond US
1210-525711	White EU
1210-525735	Almond EU
1210-525728	White UK
1210-525742	Almond UK

CAS44L-SPK Kit with Speakers



USA ONLY

Shipping Weight
TBD

CAS44 controller with 4 KP4 system keypads, (4) pairs of SP-C523 Contractor™ speakers, (2) 1584.1 dual emitters, rack ears, punchdown tool, (1) CAS-RC learning/preprogrammed system remote control, (1) IR link cable. Features: (4) zones (40W per zone), (4) audio source inputs, (2) common IR outputs, mute 12V trigger in, 12V trigger out, rear RS-232 serial port, color-coded detachable 14 gauge snap connectors, rack-mount 2U high (rack ears included). Decora® style KP4 single-gang keypad has amber backlit buttons, source selection, plus IR pass-through and confirmation.
Also includes: (1) ACT1 12v triggered AC outlet. USA ONLY.

Order #	Color
1210-524844	White US
1210-524851	Almond US
1210-525759	White EU
1210-525766	Almond EU
1210-525872	White UK
1210-525773	Almond UK

CAS44 Kits

CAS44 Kits

CAS44K Kit



Shipping Weight
TBD

CAS44 controller with 4 KP4 system keypads, (2) 1584.1 dual emitters, rack ears, punchdown tool, (1) CAS-RC learning/preprogrammed system remote control, (1) IR link cable. Features: (4) zones (40W per zone), (4) audio source inputs, (2) common IR outputs, mute 12V trigger in, 12V trigger out, rear RS-232 serial port, color-coded detachable 14 gauge snap connectors and rack-mount 2U high (rack ears included). Decora® style KP4 single-gang keypad has amber backlit buttons, 20 source name labels, source selection, plus IR pass-through and confirmation. EU and UK kits include wallplates.
17" W x 12" D x 3.5" H (43.2 x 30.5 x 8.9 cm)

Order #	Color
1210-524868	White US
1210-524875	Almond US
1210-525780	White EU
1210-525803	Almond EU
1210-525797	White UK
1210-525810	Almond UK

CAS44K-SPK Kit with Speakers



USA ONLY

Shipping Weight
TBD

CAS44 controller with 4 KP4 system keypads, (4) pairs of SP-C523Contractor™ speakers, (2) 1584.1 dual emitters, rack ears, punchdown tool, (1) CAS-RC learning/preprogrammed system remote control, (1) IR link cable. Features: (4) zones (40W per zone), (4) audio source inputs, (2) common IR outputs, mute 12V trigger in, 12V trigger out, rear RS-232 serial port, color-coded detachable 14 gauge snap connectors, rack-mount 2U high (rack ears included). Decora® style KP4 single-gang keypad has amber backlit buttons, source selection, plus IR pass-through and confirmation.
Also includes: (1) ACT1 12v triggered AC outlet. USA ONLY.

Order #	Color
1210-526015	White US
1210-526046	Almond US
1210-526022	White EU
1210-526053	Almond EU
1210-526039	White UK
1210-526060	Almond UK

Keypad Conversion kits

KPL 6



KPL system keypad color conversion kit for CAA66 system. Includes (6) Decora® inserts.

Order #	Color
1210-525100	White
1210-525117	Almond
1210-525124	Bone
1210-525131	Black
1210-525148	Brown

Shipping Weight 2oz (.1kg)

KP6 6



KP6 system keypad color conversion kit for CAA66 system. Includes (6) Decora® inserts.

Order #	Color
1210-525209	White
1210-525216	Almond
1210-525223	Bone
1210-525230	Black
1210-525247	Brown

Shipping Weight 2oz (.1kg)

KPSC 6

KPSC source control keypad color conversion kit for CAA66 system. Includes (6) Decora® inserts.

Order #	Color
1210-525452	White
1210-525469	Almond
1210-525476	Bone
1210-525483	Black
1210-525490	Brown

Shipping Weight 2oz (.1kg)

CAS44 Keypad Conversion kits

KP4 6



KP4 system keypad color conversion kit for CAS44 system. Includes (6) Decora® inserts.

Order #	Color
1210-525254	White
1210-525261	Almond
1210-525278	Bone
1210-525285	Black
1210-525292	Brown

Shipping Weight 2oz (.1kg)

Systems Accessories

System Accessories

Advanced Programming Cable

Advanced programming cable for UNO-S1, KP4, KP6, KPL keypads, ComPoint components (ISK1, ISK2, ISK3, ISH1), and iBridge Dock. Female DB-9 connection (PC end) and flat device pin connection (device end). *72" L (182.9 cm)*

Order # 2500-521065

Shipping Weight 1 lbs.(0.45 kg)

DIM-1

Doorbell Interface. Provides 12-Volt triggered output. Ideal for muting the CAS44, CAA66, CAV6.6, and CAM6.6. Versatile in many other applications.

3.375" W x .625" H x 1.6875" D (85.8 x 15.9 x 42.9 mm)

Order # 9500-113116

Shipping Weight 6oz (.2kg)

ACT-1

120 VAC - 12-Volt DC triggered outlet with resettable circuit breaker. Switches up to 10 amps.

3.75" W x 2" H x 5" D (9.5 x 5.1 x 12.7 cm)

Order # 9500-115592

Shipping Weight 12.5oz (.4kg)

ADP-1.2



Speaker to line-level adapter. Recommended for use with CAS44, CAA66 and CAM6.6 to obtain line level outputs for zones without pre-amp outputs. Color-coded detachable 14-gauge snap connectors.

3.375" W x 1" H x 2.5" D (8.6 x 2.6 x 6.4 cm)

Order # 9500-200891

Shipping Weight 6oz (.2kg)

AWCAT5



8 conductor, 24 gauge CAT-5E, 4 pair twisted, solid copper, PVC jacket, telephone/data grade/ISDN, GRAY JACKET. 1000 Foot pull-box only.

Order # 9000-119323

Shipping Weight 24 lbs (10.9kg)

AW164C5



4 pair twisted, 24 gauge, CAT-5E cable, solid copper, PVC jacket, telephone/data grade/ISDN. Zipcord with 4 conductor, 16 gauge speaker cable. 500 foot spool. PINK jacket.

Order # 9000-121838

Shipping Weight 66 lbs (29.7kg)

SRM-2.1

Speaker relay module* to be used with CAV and HTPR keypad. Add 12-VDC automatic A/B switching, speaker level, between CAV and local amplifier.

***Wall plates not included with keypads.**

1.3125" W x 2.5" H x 1.875" D (33.5 x 63.5 x 48 mm)

Order #	Color
1200-115585	White
1200-114021	Almond

Shipping Weight 8oz (.2kg)

You get it.

Better yet, so do your clients.



A-BUS Amplified Volume Control Systems

Flexible and reliable, fast and hassle-free, and iPod®-friendly. No wonder Russound A-BUS systems are the best solution for affordable multiroom audio.

Russound offers a variety of iPod-friendly products. Learn more at www.russound.com

Founded in 1967, Russound is a global leader in A/V solutions that set the standard for performance and ease of use. ©2005 Russound, Inc.

www.russound.com | tel +1.603.659.5170

A-BUS

Multisource Multiroom Kits

A-MK401



Complete Four Room Multi Source Surface Mount Kit

(1) A-H484 4 zone/4 source surface mount hub
(4) A-KP2 amplified keypad*
(1) A-LRC1 learning/pre-programmed remote
(1) A-LC2 local source input
(1) A-PS power supply
(4) 845.1: single micro IR emitter
(1) Punchdown Tool
UK and EU models include wall plates

Shipping Weight
7 lbs (3.2kg)

Order #	Color
2000-117152	White US
2000-117169	Almond US
2000-118982	White EU
2000-118999	Almond EU
2000-119002	White UK
2000-119019	Almond UK

A-MK402 EU
A-MK402 UK

4-Room/4-Source Multi-Source Kit with Euro Style keypads
(4) A-KP-EU, (1) A-PS-EU, (1) A-H484, (1) A-LRC1 and (4) 845.1

*Wall plates not included with keypads

Shipping Weight
4.7 lbs (2.2kg)

Order #	Color
2000-119378	White EU
2000-119439	Black EU
2000-119385	White UK
2000-119446	Black UK

A-H484

Four Room Four Source Surface Mount Hub. Features: 4 Pairs of gold plated audio RCA jacks, (4) Routed IR emitter jacks, (1) Common IR Jack, (8) RJ-45 keypad connectors, (1) 12 Volt trigger output,
(2) Power supply jacks.
6.5" W x 5" H x 1.5" D (165 x 127 x 38 mm)

Shipping Weight
1 lbs (.5kg)

Order #
2000-115882

Single Source In-Wall Kits

A-BK1.2

Complete Four Room System Single Source In-wall Kit

Kit includes: (4) A-KP2,* (1) A-H4D,* (1) 1584.1, (1) A-KP RC, (1) A-PS and (1) Punchdown Tool

UK and EU models include wall plates

Shipping Weight
5 lbs (2.3kg)

Order #	Color
2000-116827	White US
2000-116834	Almond US
2000-116872	White EU
2000-116865	Almond EU
2000-116896	White UK
2000-116889	Almond UK

A-BK401

Complete Four Room Single Source In-wall with Local Source Input

Kit includes: (4) A-KP2,* (1) A-H4D,* (1) 1584.1, (1) A-LRC1, (1) A-PS, (1) A-LC2* and (1) Punchdown Tool.

UK and EU models include wall plates

Shipping Weight
5 lbs (2.3kg)

Order #	Color
2000-117114	White
2000-117121	Almond

A-BK405

Four Room Single Source In-wall Expansion Kit

Kit includes: (4) A-KP2,* (1) A-H4Dx,* (1) A-PS. For use with: A-BK1.2, A-BK203, A-BK204, A-VCK2 and A-BK401 kits only.

UK and EU models include wall plates

Shipping Weight
4 lbs (1.8kg)

Order #	Color
2000-118609	White US
2000-118616	Almond US
2000-119972	White EU
2000-119958	Almond EU
2000-119989	White UK
2000-119965	Almond UK

Russound

Single Source In-Wall Kits continued

A-BK407 EU
A-BK407 UK

Four Room Surface Mount Kit with Euro Style Keypads

Kit includes: (4) A-KP-EU, (1) A-PS, (1) A-H4
(1) A-KP RC, (1) 1584.1

UK and EU models include wall plates

Shipping Weight **4.7 lbs (2.2kg)**

Order #	Color
2000-119415	White EU
2000-119477	Almond EU
2000-119422	White UK
2000-119484	Almond UK

A-BK205

Two Room Single Source In-wall Expansion Kit

Kit includes: (2) A-KP2,* (1) A-H4Dx,* (1) A-PS. For use with: A-BK1.2 and A-BK401 kits only.

Shipping Weight **3 lbs (1.4kg)**

Order #	Color
2000-118623	White
2000-118630	Almond

A-BK203

Complete Two Room Single Source In-wall Kit

Kit includes: (2) A-KP2,* (1) A-H4D,* (1) A-PS, (1) A-LRC1, (1) 1584.1, and (1) Punch Down Tool.

Shipping Weight **4 lbs (1.8kg)**

Order #	Color
2000-118647	White
2000-118654	Almond

A-BK204

Complete Two Room In-wall Kit with Local Source Input

Two zone system includes: (2) A-KP2,* (1) A-H4D,* (1) 1584.1, (1) A-LRC1, (1) A-LC2,* (1) A-PS and (1) Punchdown Tool.

Shipping Weight **4 lbs (1.8kg)**



Order #	Color
2000-118661	White
2000-118678	Almond

A-VCK2

Complete Two Room Single Source In-wall Kit

Kit includes: (2) A-VC2,* (1) A-H4D,* (1) A-PS.

Shipping Weight **4 lbs (1.8kg)**

Order #	Color
2000-118777	White
2000-118784	Almond

Multiroom Amplified Volume Control Systems

A-BK2.2

Complete Four Room System Single Source Surface Mount Kit

A-BUS® surface-mount kit. Four zone system includes: (4) A-KP2,* (1) A-H4, (1) 1584.1, (1) A-KP RC, (1) A-PS and (1) Punchdown Tool.

UK and EU models include wall plates

Shipping Weight **4.7 lbs (2.2kg)**

*Wall plates not included with keypads

Order #	Color
2000-116841	White US
2000-116858	Almond US
2000-116919	White EU
2000-116902	Almond EU

A-BK402

Complete Four Room Single Source Surface Mount Kit with Local Source Input.

Four Zone Kit includes: (4) A-KP2,* (1) A-H4, (1) 1584.1, (1) A-LRC1, (1) A-LC2, (1) A-PS and (1) Punchdown Tool.

UK and EU models include wall plates

Shipping Weight **6 lbs (2.7kg)**



Order #	Color
2000-117138	White US
2000-117145	Almond US
2000-120015	White EU
2000-119996	Almond EU
2000-120022	White UK
2000-120008	Almond UK

Multiroom Amplified Volume Control System continued

A-BK201

Complete Two Room Single Source Surface Mount Kit.
Kit includes: (2) A-KP2,* (1) A-H2, (1) 1584.1, (1) A-LRC1, (1) A-PS and (1) Punchdown Tool.

UK and EU models include wall plates

Shipping Weight **5 lbs (2.3kg)**

Order #	Color
2000-117176	White US
2000-117183	Almond US
2000-120053	White EU
2000-120039	Almond EU
2000-120060	White UK
2000-120046	Almond UK

A-BK202

Complete Two Room Single Source Surface Mount Kit with Local Source Input. Kit includes: (2) A-KP2,* (1) A-H2, (1) 1584.1, (1) A-LRC1, (1) A-LC2,* (1) A-PS and (1) Punchdown Tool.

UK and EU models include wall plates

Shipping Weight **5 lbs (2.3kg)**

Order #	Color
2000-117190	White US
2000-117206	Almond US
2000-120091	White EU
2000-120077	Almond EU
2000-120107	White UK
2000-120084	Almond UK

A-BK408

Four Room Single Source In-wall Expansion Kit

Kit includes: (4) A-KP2, (1) A-PS,and (1) Punchdown Tool.

UK and EU models include wall plates

Shipping Weight **4 lbs (1.8kg)**

Order #	Color
2000-525513	White US
2000-525520	Almond US
2000-525537	White EU
2000-525544	Almond EU
2000-525568	White UK
2000-525575	Almond UK

Single Source Hubs

A-H2

Two Zone Single Source Surface Mount Hub. Features: Gold plated audio input RCA jacks, (4) IR emitter jacks, (2) RJ-45 keypad connectors, (1) Expansion input, IR confirmation LED.

6.5" W x 2" H x 1.5 D (165 x 51 x 38 mm)

Shipping Weight **1 lbs (.5kg)**

Order #

2000-115837

A-H4

Four Zone Single Source Surface Mount Hub. Features: Gold plated audio input/output RCA jacks, (4) IR emitter jacks, (4) RJ-45 keypad connectors, RJ-45 IR link input and output, IR confirmation LED.

6.5" W x 3" H x 1.225" D (165 x 76 x 32 mm)

Shipping Weight **1 lbs (.5kg)**

Order #

2000-115851

Single Source Hubs continued

A-H4P

Four Zone Hub Panel. Four room (zone), single input structured wiring A-BUS® Audio Distribution Hub. Requires A-BUS® ready source or A-H1 Audio Interface Hub. Uses 110 punchdown connectors and CAT-5 for easy hookup. Requires A-PS power supply.

6.5" W x 3" H x 1.25" D (165 x 76 x 32 mm)

Shipping Weight **1 lbs (.5kg)**

Order #
2000-121852

A-H4D

A-BUS® 4 Zones Single Source In-wall Hub.* Fits in a standard double gang work box. Features: Gold plated audio input and output RCA jacks, (4) IR emitter jacks, 110 punchdown terminals, 24 VDC power and 12 VDC status jacks.

3.625" W x 4.125" H x 1.125" D (9.2 x 10.5 x 4.8 cm)

*Wall plates not included with keypads

Shipping Weight **1 lbs (.5kg)**

Order #	Color
2000-116025	White
2000-116049	Almond
2000-117831	Bone
2000-116056	Black
2000-117855	Brown

A-H4Dx

Four Zone Single Source In-wall Expansion Hub* for A-H4D. Plugs into existing A-H4D hub for 4 additional zones. Requires A-PS and A-H4D. Installation requires a three-gang work box.*6.5" W x 3" H x 1.225" D (165 x 76 x 32 mm)*

Shipping Weight **1 lbs (.5kg)**

Order #	Color
2000-116063	White
2000-116087	Almond
2000-117893	Bone
2000-117909	Black
2000-117916	Brown

Keypads and Accessories

A-KP2

A-BUS® Amplified Keypad.* Features IR control & pass through, pre-amp outputs, L&R channel gain controls, backlit, volume and system status indicators, source selection if used with the A-H484 Multi-Source Hub.

1.3125" W x 2.5" H x 1.75" D (33.5 x 63.5 x 44.5 mm)

Wall plates not included.

Shipping Weight **5oz (.14kg)**

Order #	Color
2000-115905	White
2000-115929	Almond
2000-117770	Bone
2000-117794	Black
2000-117787	Brown

A-KP-EU

A-BUS® Amplified Keypad Euro Style. Features: 45x45mm Euro style with IR, pre-amp outputs, L&R channel gain controls, backlit, volume and status indicators, source selection when used with the A-H484 Multi-Source Hub, fits in a 48mm wall box.

Wall plates not included.

Shipping Weight **5oz (.14kg)**

Order #	Color
2000-118838	White
2000-118821	Black

A-VC2

A-BUS® Amplified Volume Control.* Features system status indicator, pre-amp outputs, L&R channel gain controls with 110 punchdown termination.

***Do not use with multi-source A-BUS Hubs.**

1.3125" W x 2.5" H x 1.5" D (33.5 x 63.5 x 38.5 mm)

Wall plates not included.

Shipping Weight **5oz (.1kg)**

Order #	Color
2000-115943	White
2000-115967	Almond
2000-521201	Bone
2000-521218	Black
2000-52118	Brown

A-H1

Single-input A-BUS Audio Interface Hub. Uses standard RJ45 jack. Supports A-BUS® hubs like the A-H4P and A-H4. IR emitter outputs for source control.
6.5" W x 3" H x 1.225" D (165 x 76 x 32 mm)

Shipping Weight **1 lbs (.5kg)**

Order #

2000-121845

A-LC2

A-BUS® Local Source Input.* Auto sensing, with 110 punchdown termination.
1.3125" W x 2.5" H x 1.5" D (33.5 x 63.5 x 38.5 mm

*Wall plates not included with keypads

Shipping Weight **3oz (.1kg)**

Order #	Color
2000-115981	White
2000-116001	Almond
2000-118579	Bone
2000-118586	Black
2000-118593	Brown

A-LRC1

Learning/Preprogrammed Remote Control. Features: source selection and control for the A-H484 multi-source hub. Pre-programmed with most major brands of audio and video equipment, can learn IR command, works well as a stand alone home theater remote. *1.75" W x 1" H x 8.5" Length (44.5 x 25.4 x 219 mm)*

Shipping Weight **3.5oz (.11kg)**

Order #

2000-117053

A-KP RC

Remote Control. For A-BUS volume control model A-KP.
Duplicates functions of In-Wall keypade. (Volume up/down zone on/off).
1.875" W x .875" H x 4.875" Length (48 x 22.5 x 124 mm)

Shipping Weight **2oz (.056kg)**

Order #

2000-113970

A-PS

A-BUS® Power Supply. 24 Volt DC. Features: Autosensing 110/220 voltage, detachable power cord, compact size.
6.5" W x 2.75" H x 3.75" D (165.5 x 70 x 95.5 mm)

Shipping Weight **2.2 lbs (1kg)**

Product	Order #
A-PS US	2000-113833
A-PS-EU	2000-114557
A-PS-UK	2000-114847

A-KP2 4

Color conversion kits for A-KP2 keypads.
eatures: (4) Keypad Decora® Inserts, (4) Keypad Gaskets.

Shipping Weight **2oz (.1kg)**

Order #	Color
2000-118500	Almond
2000-118401	Bone
2000-118418	Black
2000-118395	Brown

A-H4D CONV

Color conversion kits for in-wall hubs.
Features: (1) Decora® Audio Plate, (1) Decora® IR Plate, (1) A-H4Dx Decora® Plate.

Shipping Weight **2oz (.1kg)**

Order #	Color
2000-118739	Almond
2000-118708	Bone
2000-118722	Black
2000-118715	Brown

AWCAT5



8 conductor, 24 gauge CAT-5E cable, 4 pair twisted, solid copper, PVC jacket, telephone/ data grade/ISDN, GRAY JACKET. 1000 Foot pull-box only.

Shipping Weight **24 lbs (10.9kg)**

Order #

9000-119323

ComPoint™

The music lover's intercom solution

Whole-house communication

The first of its kind, ComPoint integrates with multiroom audio systems to provide room-to-room and whole-house communication through in-wall or in-ceiling speakers. Users enjoy the benefits of multiroom audio and the convenience of intercom communications, without sacrificing sound quality or ease of use. ComPoint's performance, quality and exceptional design make it an elegant addition to any multiroom system.

Room-to-room communication



Door station with release

See the ComPoint demo at www.russound.com

ComPoint

ComPoint intercom system

ISK1

New!

ComPoint Basic Keypad

Single-gang Decora® style in-wall keypad for a ComPoint system with up to six zones. Selects zones and door stations, controls receive volume, sets Do Not Disturb mode for the zone. Internal microphone with automatic gain control. Built-in amplifier powers one or two external speakers. Speaker relay allows the keypad to share speakers with an audio system for high-fidelity communications. 110 punch-down connector for CAT-5 cable. Screw terminals for speaker connections. Installer-selectable amber or green key backlighting.

Wall plate and speakers not included.

1.875" W x 4" H x 2.25" D (4.8 x 10.2 x 5.7 cm)

Order #	Color
2300-525377	White & Almond
2300-526299	Bone
2300-526329	Black
2300-526312	Brown

Shipping Weight **4.8 oz (136g)**

ISK2

New!

ComPoint Advanced Keypad

Single-gang Decora® style in-wall keypad for any size ComPoint system. Five-character LCD display supports assignable zone names and indicates functions and volume level. Selects zones and door stations, controls receive volume, sets Do Not Disturb mode for the zone. Internal microphone with automatic gain control. Built-in amplifier powers one or two external speakers. speaker relay allows the keypad to share speakers with an audio system for high-fidelity communications.
110 punch-down connector for CAT-5 cable.
Screw terminals for speaker connections. Installer-selectable amber or green backlighting.
(required for systems with over 6 zones.)

Wall plate and speakers not included.

1.875" W x 4" H x 2.625" D (4.8 x 10.2 x 6.7 cm)

Order #	Color
2300-525384	White & Almond
2300-526336	Bone
2300-526367	Black
2300-526350	Brown

Shipping Weight **5.6 oz (159g)**

ISK3

New!



ComPoint Door Station

Weatherproof call station fits a single-gang deep wall box. Plated die-cast zinc cover plate mounts flush to exterior wall. Internal microphone with automatic gain control. Built-in amplifier and speaker. 110 punch-down connector for CAT-5 cable. Internal relay with screw terminals for connecting to an external doorbell. Amber-backlighted Call key.

3" W x 5.125" H x 3" D (7.6 x 13.0 x 7.6 cm)

Maximum 2 Door Stations per system.

Order #	Color
2300-525391	Polished Brass
2300-525407	Antique Brass
2300-525414	Brushed Chrome

Shipping Weight **8 oz (227g)**

ISH1

New!



ComPoint System Hub

Six-zone surface- or panel-mount controller for the ComPoint system. Up to 6 hubs can link together for a total of 36 zones. Supports 2 door stations and provides 7 doorbell chimes, individually selectable for each door. Gain control for doorbell volume. RJ-45 connectors for keypads, door stations, and hub linking. Firmware updatable. Power supply not included.

6" W x 5" H x 2" D (15.2 x 12.7 x 5.1 cm)

Order #
2300-526459

Shipping Weight **25.6 oz (.73 kg)**

Russound

ComPoint accessories

ISSP

New!

ComPoint Speaker

The ComPoint Speaker is a Decora®-style in-wall speaker for use with the ComPoint intercom system. It installs beside a ComPoint keypad in a double-gang wall box.The ISSP allows ComPoint to be used as a stand-alone system. The high-quality driver in the ISSP is ideally matchedto the keypad amplifier. Its moisture-resistant designmakes it suitable for use in bathrooms and kitchens. 4w max. **Wall plate not included.**

3" W x 5.125" H x 3" D (7.6 x 13.0 x 7.6 cm)

Order #	Shipping Weight
2300-526374	8 oz (227g)

ISDR1

New!



ComPoint Door Strike Release Module

Surface-mount module connects between the hub and a door station to provide relay contacts for a third-party door strike release or other device. 110 punch-down connector for CAT-5 cable. Screw terminals for access to common, NC and NO relay contacts. Relay rated for 1 A @ 12 VDC.

3" W x 1.875" H x 1" D (7.6 x 4.8 x 2.5 cm)

Order #	Shipping Weight
2300-525445	4.8 oz (136kg)

ISPS

ComPoint Power Supply

15VDC 3.5A. Autosensing 100V-240VAC, detachable power cord, compact size.

4.56" W x 1.93" H x 1.33" D (115.8 x 49 x 33.8 mm)

Product	Order #
ISPS US	2300-526282
ISPS-EU	2410-526763
ISPS-UK	2410-526770

Shipping Weight 1 lbs. (.5kg)

Advanced Programming Cable

Advanced programming cable for UNO-S1, KP4, KP6, KPL keypads, ComPoint components (ISK1, ISK2, ISK3, ISH1), and iBridge Dock. Female DB-9 connection (PC end) and flat device pin connection (device end). *72" L (182.9 cm)*

Order #	Shipping Weight	Dealer
2500-521065	1 lbs.(0.45 kg)	$12.60

ComPoint

ComPoint Basic 4 zone kits

ISB40

New!

ComPoint Basic 4 zone Kit

ComPoint Intercom System for four rooms. Includes 4 basic keypads (ISK1) with white and almond conversion plates, hub (ISH1), and power supply (ISPS). **Wall plate and speakers not included.**

Order #

Call

Shipping Weight
4.8 oz (136kg)

ISB4

New!

ComPoint Basic 4 zone kit w/Door Station

ComPoint Intercom System for four rooms and one entry. Includes 4 basic keypads (ISK1) with white and almond conversion plates, hub (ISH1), power supply (ISPS) and antiqued brass finish door station (ISK3).
Wall plate and speakers not included.

Order #

2300-526381

Shipping Weight
4.8 oz (136kg)

ComPoint Basic 6 zone kits

ISB60

New!



ComPoint Basic 4 zone kit

ComPoint Intercom System for six rooms. Includes 6 basic keypads (ISK1) with white and almond conversion plates, hub (ISH1), and power supply (ISPS). **Wall plate and speakers not included.**

Order #

Call

Shipping Weight
4.8 oz (136kg)

ISB6

New!

ComPoint Basic 6 zone kit w/Door Station

ComPoint Intercom System for six rooms and one entry. Includes 6 basic keypads (ISK1) with white and almond conversion plates, hub (ISH1), power supply (ISPS) and antiqued brass finish door station (ISK3).
Wall plate and speakers not included.

Order #

2300-526398

Shipping Weight
4.8 oz (136kg)

ComPoint Advanced 6 zone kits continued

ISA60 New!

ComPoint Adv. 6 zone kit

ComPoint Intercom System for six rooms. Includes 6 advanced keypads (ISK2) with white and almond conversion plates, hub (ISH1), and power supply (ISPS). **Wall plate and speakers not included.**

Order #

Call

Shipping Weight
4.8 oz (136kg)

ISA6 New!

ComPoint Adv. 6 zone kit w/Door Station

ComPoint Intercom System for six rooms and one entry. Includes 6 advanced keypads (ISK2) with white and almond conversion plates, hub (ISH1), power supply (ISPS) and antiqued brass finish door station (ISK3).
Wall plate and speakers not included.

Order #

2300-526404

Shipping Weight
4.8 oz (136kg)

ISA62 New!

ComPoint Adv. 6 zone w/ 2 Door Stations

ComPoint Intercom System for six rooms and two entries. Includes 6 advanced keypads (ISK2) with white and almond conversion plates, hub (ISH1), power supply (ISPS) and two antiqued brass finish door stations (ISK3). **Wall plate and speakers not included.**

Order #

2300-526411

Shipping Weight
4.8 oz (136kg)

Amplifiers

R-Series Multiroom Amplifiers

Trust ✓

A brand for all reasons.
For 39 years Russound has delivered products you can depend on for performance, reliability and profit.

All you need to know is Russound.

R-Series Power Amplifiers

Designed for high power output, stable performance, flexible application, great sound and exceptional value. Features include bridged mode, independent gain controls, signal-sensing inputs and local switching (R235LS). Industrial design by Cambridge Product Design.

R1250MC: 50W x 12 | R850MC: 50W x 8 | R275HC: 75W x 2 | R235LS: 35W x 2

Learn about all Russound products at www.russound.com

Russound

R-Series Multiroom Amplifiers

R1250MC

Six Zone/Twelve-Channel Multiroom Amplifier (50 watt per channel)

The soul of your multiroom audio system. Amplifies up to six stereo line-level sources. Zones have dedicated line level inputs or can share a source via the bus input. Separate gain controls for each zone to preset room sound levels. Zone output can be switched to stereo or bridge mono output. In bridged mode, a zone's left and right channels are combined for a higher-power mono output, ideal for large rooms or outdoor listening areas. A+B speaker output in 4 ohm mode. Rack ears included. 50 watts per channel RMS @ 8 Ohms x 12

17" W x 16.5"D x 5.875"H (43 x 42 x 15 m)

Shipping Weight **48.9 lbs (22.2kg)**

Product	Order #
R1250MCUS	2800-521881
R1250MC EU	2800-522055
R1250MC UK	2800-522208

R850MC

Four Zone/Eight-Channel Multiroom Amplifier (50 watt per channel)

Ideal as the main amplifier for home theater and multiroom audio systems. Protection circuitry provides safety and reliability under heavy use. Amplifies up to four stereo line-level sources. Zones have dedicated line level inputs or can share a source via the bus input. Separate gain controls for each zone to preset room sound levels. Zone output can be switched to stereo or bridge mono output. In bridged mode, a zone's left and right channels are combined for a higher-power mono output, ideal for large rooms or outdoor listening areas. A+B speaker output in 4 ohm mode. Rack ears included.

50 watts per channel RMS @ 8 Ohms x 8

17" W x 16.5"D x 5.875"H (43 x 42 x 15 cm)

Shipping Weight **38.1 lbs (17.3kg)**

Product	Order #
R850MC US	2800-521904
R850MC EU	2800-522048
R850MC UK	2800-522178

R275HC

Two-Channel High Current Amplifier (75 watt per channel)

High current power amplifier drives low impedance loads. Ideal for long series-parallel speaker runs. Robust protection circuitry provides safety and reliability under heavy use. High pass filter protection for volume control protection. Bridge mode combines both channels for a single high-power mono output. Rack ears included. 75 watts per channel RMS @ 8 Ohms x 2

17" W x 14"D x 4.125"H (43 x 35.5 x 10.5 cm)

Shipping Weight **20.3 lbs (9.2kg)**

Product	Order #
R275HC US	2800-521898
R275HC EU	2800-522031
R275HC UK	2800-522154

Amplifiers

R-Series Amplifiers

R235LS

The Russound R235LS is a two-channel power amplifier with automatic local source switching capability that enables localized speaker override for a connected peripheral, such as a TV or PC. The Bridgeable power setting combines channel power for 100 watts into a single 8-ohm load, rated. 35 watts per channel RMS @ 8 Ohms.
8.625" W x 10"D x 2.375"H (22 x 25.4 x 6 cm)

Shipping Weight
9.5 lbs (3.8kg)

Product	Order #
R235LS US	2800-521874
R235LS EU	2800-522024
R235LS UK	2800-522222

Amplifier Accessories

LFP-1.2



Low Frequency Protection Module. Protects amplifiers from sub-sonic frequencies. Color-coded detachable 14-gauge snap connectors

3.75" W x 1.5" H x 2.5" D (9.6 x 3.81 x 6.4 cm)

Order #
9500-520938

Shipping Weight
6oz (.2kg)

AW164CL3

4 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL Type CL3, YELLOW JACKET. 500 foot pull-box only.

Order #
9000-460067

Shipping Weight
28.7 lbs (13kg)

AW162CL3

2 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL type CL3, LIGHT BLUE JACKET. 1000 foot pull-box only.

Order #
9000-119316

Shipping Weight
30.4 lbs (13.8kg)

AW164C5



4 pair twisted, 24 gauge, CAT-5E cable, solid copper, PVC jacket, telephone/data grade/ISDN. Zipcord with 4 conductor, 16 gauge speaker cable. 500 foot spool. PINK jacket.

Order #
9000-121838

Shipping Weight
66 lbs (29.7kg)

Russound

Select your building blocks

Looks good. Sounds better. Priced right. Russound speaker selectors are the building blocks of your multizone distributed audio system.

Choose from a variety of models with or without volume control. In-wall or in-ceiling or outdoors. Even models that accommodate four to twelve pair of loudspeakers.

On page 45, see our automatic amplifier selector, the AB-3.2. It lets you connect two amplifiers to one set of speakers. It knows what source is on and then switches to that amplifier.

Choices. For every budget. All you need to know is Russound.

SS Series Resistor–Based Speaker Selectors Single Source Selectors

SS-4.2

Four pair speaker selector, single source, 100W/Ch RMS, zone label. For use with 4 Ω stable amplifiers and receivers. Built-in resettable fuses for circuit protection. Impedance bypass switch for use with external impedance matching volume controls.

8.5" W x 1.875" H x 6.25" D (22 x 4.8 x 16 cm)

Order # 3630-520679

Shipping Weight **2.75 lbs (1.2kg)**

SS-6.2

Six pair speaker selector, single source, 70W/Ch RMS, zone labels. For use with 4 Ω stable amplifiers & receivers. Built-in resettable fuses for circuit protection. Impedance bypass switch for use with external impedance matching volume controls.

11.5" W x 1.875" H x 6.25" D (29.5 x 4.8 x 16 cm)

Order # 3630-520686

Shipping Weight **3.5 lbs (1.6kg)**

Speaker Selectors

SDB Series Autoformer-Based Speaker Selectors w/ UltraMatch™ Volume Controls

SDB-2.1

2 pair speaker selector with UltraMatch™ Volume Controls, 100W/Ch RMS. Standard configuration is 2x - Installer may change configuration to 4x or 8x. Zone identifying labels included. Color-coded detachable 14-gauge snap connectors.
8.5" W x 3" H x 6.25" D (22 x 8 x 16 cm)

Order # 3615-604010

Shipping Weight **4 lbs (1.8kg)**

SDB-4.1

4 pair speaker selector with UltraMatch™ Volume Controls, 200W/Ch RMS. Color-coded detachable 14-gauge snap connectors. Standard configuration is 4x - Installer may change configuration to 2x or 8x. Zone identifying labels included.
17" W x 3" H x 6.25" D (43.5 x 8 x 16 cm)

Order # 3615-604027

Shipping Weight **9 lbs (4.1kg)**

SDB-6.1

6 pair speaker selector with UltraMatch™ Volume Controls, 150 W/Ch RMS. Color-coded detachable 14-gauge snap connectors. Standard configuration is 8x - Installer may change configuration to 2x or 4x. Zone identifying labels included.
17" W x 3" H x 6.25" D (43.5 x 8 x 16 cm)

Order # 3615-604034

Shipping Weight **10.8 lbs (4.9kg)**

Autoformer-Based Speaker Selectors

PRO-6 HP

6 pair speaker selector/adjustable impedance matching, 100W/Ch. RMS with subsonic filter built in. Color-coded detachable 14-gauge snap connectors. Zone identifying labels included.
17" W x 2.875" H x 8" D (43.5 x 7.5 x 20.5 cm)

Order # 3610-603075

Shipping Weight **10 lbs (4.5kg)**

PRO-8 HP

8 pair speaker selector/adjustable impedance matching, 100W/Ch. RMS with subsonic filter, built in. Color-coded detachable 14-gauge snap connectors. Zone identifying labels included.
17" W x 2.875" H x 8" D (43.5 x 7.5 x 20.5 cm)

Order # 3610-603136

Shipping Weight **10 lbs (4.5kg)**

PRO-12 HP

12 pair speaker selector/impedance matching, 100W/Ch. RMS with subsonic filter built in. Color-coded detachable 14-gauge snap connectors. Zone identifying labels included.
17" W x 2.875" H x 8" D (43.5 x 7.5 x 20.5 cm)

Order # 3610-603037

Shipping Weight **10 lbs (4.5kg)**

Source Selector

AX-6

6 stereo line level source selector.
5.5" W x 2.125" H x 3" D (14 x 5.5 x 8 cm)

Order # 4000-600081

Shipping Weight **1.5 lbs (.7kg)**

Impedance Matching Devices

WB-1

Speaker impedance matching device. Custom order as 2x, 4x or 8x.

3.25" W x 2.25" H x 3.25" D

(83 x 57.5 x 83 mm)

Order #	Impedance
4000-606694	2x Setting
4000-606700	4x Setting
4000-606717	8x Setting

Shipping Weight **2 lbs (.9kg)**

WCN-12

Speaker distribution and autoformer impedance matching system. single source to 12 pairs of speakers. Color-coded detachable 14-gauge snap connectors. 100W/Ch RMS.

19" W x 3.5" H x 3" D (48.5 x 9 x 8.5 cm)

Order #
4000-606724

Shipping Weight **5 lbs (2.3kg)**

Miscellaneous Speaker Selectors

AB-1.2

Dual-source selector switch single-gang in-wall unit, allow a single pair of speakers to be driven by either of two amplifiers or allow a single amplifier to drive either of two pair of speakers.
Decora® wallplate not included.

1" W x 2.75" H x 1.75" D (25.5 x 70 x 44.5 mm)

Order #	Color
3699-520501	White
3699-520532	Almond
3699-520556	Bone

Shipping Weight **6oz (.2kg)**

AB-2.2

Dual-source selector switch tabletop unit, allow a single pair of speakers to be driven by either of two amplifiers or allow a single amplifier to drive either of two pair of speakers.

5.5" W x 2.875" H x 3" D (140 x 73.5 x 76.5 mm)

Order #
3699-520525

Shipping Weight **1 lbs (.5kg)**

AB-3.2

Automatic A/B speaker selector, speaker level switching, selectable delay and sensitivity. Color-coded detachable 14-gauge snap connectors. Detachable 12VDC power supply

6.25" W x 2" H x 1.55" D (159 x 51 x 39 mm)

Product	Order #
AB-3.2 US	3699-520914
AB-3.2 EU	3699-521270
AB-3.2 UK	2800-521287

Shipping Weight **1.7 lbs (.8kg)**

Speaker Selectors Accessories

LFP-1.2



Low Frequency Protection Module. Protects amplifiers from subsonic frequencies. Color-coded detachable 14-gauge snap connectors

3.75" W x 1.5" H x 2.5" D (9.6 x 3.81 x 6.4 cm)

Order #
9500-520938

Shipping Weight **6oz (.2kg)**

Speaker Selectors Accessories

AW162CL3

2 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL type CL3, LIGHT BLUE JACKET. 1000 foot pull-box only.

Order #
9000-119316

Shipping Weight **30.4 lbs (13.8kg)**

AW164CL3

4 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL type CL3, YELLOW JACKET. 500 foot pull-box only.

Order #
9000-460067

Shipping Weight **28.7 lbs (13kg)**

Volume Controls



Enjoy the music

Turn it on. Off. Up or down. With Russound indoor and weather-resistant volume controls, you can enjoy the music from anywhere in your home.

Whether it's our ALTx Series, LPTx Series, Master Packs, Special Applications or Smart Select Volume controls, you get high-quality materials for reliable and superior performance. Excellent frequency response. No heat-build up and maximum power transfer for worry-free protection, in all listening rooms.

With a variety of colors and finishes to choose from, our volume controls are at home in any room of the house.

ALTx Series 1x, 2x, 4x, 8x Autoformer Volume Controls – 126W

ALTx-2Dsc

126 Watt stereo volume control, with Decora® insert and knob (cover plate Included). color coded detachable 14 gauge snap connector, (1x, 2x, 4x, 8x) impedance matching.

1.75" W x 2.5" H x 2.5" D
(44.5 x 63.5 x 63.5 mm)

Order #	Color
6100-116995	White
6100-117015	Almond
6100-117008	Bone
6100-117022	Black
6100-117039	Brown

Shipping Weight **2 lbs (.9kg)**

ALTx-2D

126 Watt stereo volume control, with Decora® insert and knob. (cover plate included). detachable 12 gauge connector. (1x, 2x, 4x, 8x) impedance matching.

1.75" W x 2.5" H x 2.5" D
(44.5 x 63.5 x 63.5 mm)

Order #	Color
6100-113475	White
6100-113543	Almond
6100-113482	Bone
6100-114748	Black
6100-114250	Brown

Shipping Weight **2 lbs (.9kg)**

ALTx-2sc

126 Watt stereo volume control with standard plate and knob. Color coded detachable 14 gauge snap connector, (1x, 2x, 4x, 8x) impedance matching.

1.75" W x 2.5" H x 2.5" D
(44.5 x 63.5 x 63.5 mm)

Order #	Color
6100-116940	White
6100-116964	Almond
6100-116957	Bone
6100-116971	Black
6100-116988	Brown

Shipping Weight **2 lbs (.9kg)**

ALTx-2

126 Watt Stereo Volume Control, with standard plate and knob detachable. 12 gauge connector. (1x, 2x, 4x, 8x) impedance matching.

1.75" W x 2.5" H x 2.5" D
(44.5 x 63.5 x 63.5 mm)

Order #	Color
6100-113499	White
6100-113550	Almond
6100-113505	Bone
6100-116377	Black
6100-113666	Brown

Shipping Weight **2 lbs (.9kg)**

ALTx Series 1x, 2x, 4x, 8x Autoformer Volume Controls 126W

ALTx-WIRi 2D

126 Watt Single Gang Stereo Volume Control with Built-in Infrared Receiver. Decora® insert and knob (cover plate included). 12 position switch. Accepts up to 14 gauge wire.

1.75″ W x 2.5″ H x 2.9375″ D (44.5 x 63.5 x 74 mm)

Order #	Color
6100-117084	White
6100-117091	Almond
6100-117107	Bone
6100-117954	Black
6100-117961	Brown

Shipping Weight 1 lbs (.5kg)

WALTx-2

126 Watt Weatherproof Stereo Volume Control with Standard Plate and Knob. 12 position switch, 1x and 2x, 4x, 8x impedance matching. Fits a standard 3/4″ PVC Outdoor conduit. **Gray only**.

3″ W x 5″ H x 3.75″ D (76.5 x 127 x 95.5 mm)

Order #
6500-114113

Shipping Weight 1.5 lbs (.7kg)

LPTx Series 1x, 2x, 4x, 8x Autoformer Volume Controls 75W

LPTx-2

75 Watt Stereo Volume Control, with standard plate and knob accepts up to 14 gauge wire. 1x, 2x, 4x, 8x impedance matching.

1.75″ W x 2.75″ H x 2.625″ D (44.5 x 70 x 66.7 mm)

Order #	Color
6200-114991	White
6200-115141	Almond
6200-114090	Bone

Shipping Weight 2 lbs (.9kg)

LPTx-2D

75 Watt Stereo Volume Control, with Decora® insert and knob (cover plate included). Accepts up to 14 gauge wire.
1x, 2x, 4x, 8x impedance matching.

1.75″ W x 2.75″ H x 2.625″D (44.5 x 70 x 66.7 mm)

Order #	Color
6200-113512	White
6200-113536	Almond
6200-113529	Bone

Shipping Weight 2 lbs (.9kg)

Master Packs

ALTx-MP-1

30 Volume Controls

SAVE $117.50 Compared to Purchasing Separately

(30) ALTx-2D: 126 Watt stereo volume control, 1x, 2x, 4x, 8x impedance settings, with Decora® insert, knob and cover plate.

1.75″ W x 2.5″ H x 2.5″ D (44.5 x 63.5 x 63.5 mm)

All Master Packs consist of same color volume controls

Order #	Color
6100-116452	White
6100-116445	Almond
6100-116469	Bone
6100-116476	Black
6100-116483	Brown

Shipping Weight 37 lbs (16.7kg)

ALTx-MP-2

30 Volume Controls

SAVE $117.50 Compared to Purchasing Separately

30) ALTx-2: 126 Watt stereo volume control, 1x, 2x, 4x, 8x impedance settings, with standard plate and knob.

1.75″ W x 2.5″ H x 2.5″ D (44.5 x 63.5 x 63.5 mm)

All Master Packs consist of same color volume controls

Order #	Color
6100-116506	White
6100-116490	Almond
6100-116513	Bone
6100-116520	Black
6100-116537	Brown

Shipping Weight 37 lbs (16.7kg)

Volume Controls

Master Packs continued

LPTx-MP-1

30 Volume Controls

SAVE $102.00 Compared to Purchasing Separately

(30) LPTx-2D: 75 Watt Stereo Volume Control. 1x, 2x, 4x, 8x impedance settings, with Decora® insert, knob and cover plate.

1.75" W x 2.75" H x 2.625" D
(44.5 x 70 x 66.7 mm)

All Master Packs consist of same color volume controls

Order #	Color
6200-116551	White
6200-116544	Almond
6200-116568	Bone

Shipping Weight **37 lbs (16.7kg)**

LPTx-MP-2

30 Volume Controls

SAVE $102.00 Compared to Purchasing Separately

(30) LPTx-2: 75 Watt Stereo Volume Control. 1x, 2x, 4x, 8x impedance settings, with standard plate and knob.

1.75" W x 2.75" H x 2.625" D
(44.5 x 70 x 66.7 mm)

All Master Packs consist of same color volume controls

Order #	Color
6200-116582	White
6200-116575	Almond
6200-116599	Bone

Shipping Weight **37 lbs (16.7kg)**

Special Application 1x, 2x, 4x, 8x, Autoformer - 126W

ACP-1DU

Decora® ALTx 126 Watt Stereo Volume Control With A/B Speaker/ Amplifier Selector. 12 position switch. Accepts up to 14 gauge wire. Complete with 2 gang cover plate and knob. White only.
1x, 2x, 4x, 8x impedance matching.

Dual Gang W x 2.5" H x 2.5625" D

Order #	Color
6999-400070	White

Shipping Weight **2 lbs (.9kg)**

TBL-75

Table Top Volume Control. 126 Watt with headphone jack speaker override. Installer configurable from 1x, 2x, 4x or 8x impedance matching.

6.0625" W x 2.5" H x 1.9375" D
(154 x 63.5 x 49.3 mm)

Order #	Color
6400-113161	Black

Shipping Weight **2.5 lbs (1.1kg)**

Smart Select Systems

SSVC

Smart Select Volume Control. Turn speakers on and off from any volume control. UltraMatch™ Technology, 126 Watt stereo with Decora® insert and knob (cover plate included). 12 position switch QCT connectors. Accepts up to 14 gauge wire.

1.75″ W x 2.5″ H x 2.5625″ D (44.5 x 63.5 x 65.1 mm)

Order #	Color
6300-110993	White
6300-114038	Almond

Shipping Weight 1 lbs (.5kg)

PIM

Smart Select Power Interrupter Module for the Smart Select Volume Control System. One unit required for each Separate Smart Select Volume Control System. Requires 1201A power supply sold separately.

3.375″ W x .625″ H x 2.5″ D (85.8 x 158.8 x 63.5 mm)

Order #
6300-111013

Shipping Weight 6oz (.2kg)

1201A

110VAC/12V, 1000mA Power Supply for the Smart Select Volume Control System. One unit required for each Separate Smart Select Volume Control System. Up to 12 controls.

2.1875″ W x 2.875″ H x 2.0625″ D (55.7 x 73.1 x 52.4 mm)

Order #
6300-111075

Shipping Weight 1 lbs (.5kg)

EZB-1SC



Modular Speaker Connecting Block-Base Unit. 4 speaker outputs and 1 amplifier input. Color-coded detachable 14-gauge snap connectors to support 4 zones.

4.25″ W x .75″ H x 1.75″ D (108 x 19.1 x 44.5 mm)

Order #
8100-120961

Shipping Weight 6oz (.2kg)

EZB-2SC



Modular Speaker Connecting Block-additional 4 Speaker Outputs. Color-coded detachable 14-gauge snap connectors. Plugs into EZB-1SC to expand to 8 Zones.

3.625″ W x .75″ H x 1.75″ D (92.1 x 19.1 x 44.5 mm)

Order #
8100-120978

Shipping Weight 6oz (.2kg)

Volume Controls

Color Conversion Kits

SP-6

Single gang plastic plate for ALTx & LPTx models. **(6 Pack)**

Order #	Color
9510-115110	White
9510-115080	Almond
9510-115097	Bone
9510-115073	Black
9510-115103	Brown

Shipping Weight
1 lbs (.5kg)

ACRP26

Decora® cover plate. Fits ALTx, LPTx models. **(6 Pack)**

Order #	Color
7105-115479	White
7105-115493	Almond
7105-115486	Bone
7105-115509	Black
7105-115516	Brown

Shipping Weight
1 lbs (.5kg)

DP-6

Decora® inserts. Fits ALTx, LPTx models. **(6 Pack)**

Order #	Color
9510-115165	White
9510-115127	Almond
9510-115660	Bone
9510-115134	Black
9510-115158	Brown

Shipping Weight
1 lbs (.5kg)

VCK-6

Plastic Volume Control Knobs. Fits ALTx, and LPTx models. **(6 Pack)**

Order #	Color
9510-115219	White
9510-115172	Almond
9510-115196	Bone
9510-115189	Black
9510-115202	Brown

Shipping Weight
1 lbs (.5kg)

DP-WIR

IR Conversion kit with IR receiver and Decora®. For use with ALTx, LPTx and A70-1M models.

Order #	Color
5100-115820	White
5100-115806	Almond
5100-115813	Bone
5100-118807	Black
5100-118791	Brown

Shipping Weight
1 lbs (.5kg)

Accessories

LFP-1.2



Low Frequency Protection Module. Protects amplifiers from sub-sonic frequencies. Color-coded detachable 14-gauge snap connectors

3.75" W x 1.5" H x 2.5" D (9.6 x 3.81 x 6.4 cm)

Order # 9500-520938

Shipping Weight 6oz (.2kg)

AW162CL3

2 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL type CL3, LIGHT BLUE JACKET. 1000 foot pull-box only.

Order # 9000-119316

Shipping Weight 30.4 lbs (13.8kg)

AW164CL3

4 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL Type CL3, YELLOW JACKET. 500 foot pull-box only.

Order # 9000-460067

Shipping Weight 28.7 lbs (13kg)

Outdoor Thermoplastic Waterproof Covers

WPB 37-03 Horizontal self-closing cover with 3/32" gasket and 2 mounting screws. Mounts to single-gang box.

4.9375" W x 2.875" H x 1.6875" D
(125.5 x 73.1 x 42.9 mm)

Order # 9000-450006

Shipping Weight 9oz (.3kg)

WPB 37-03FS Same as above except mounts to flat surface with 4 screws.

4.9375" W x 2.875" H x 1.75" D
(125.5 x 73.1 x 44.5 mm)

Order # 9000-450013

Shipping Weight 9oz (.3kg)

WPB 37-23 Vertical self-closing cover with 3/8" gasket and 2 mounting screws. Mounts to single-gang box.
3.0625" W x 4.8125" H x 1.1875" D
(77.8 x 122.4 x 30.2 mm)

Order # 9000-450020

Shipping Weight 9oz (.3kg)

WPB 37-23FS Same as above except mounts to flat surface with 4 screws.
3.0625" W x 4.8125 H x 1.1875" D
(77.8 x 122.3 x 30.2 mm)

Order # 9000-450037

Shipping Weight 9oz (.3kg)

Looks hot, goes fast, but the driver makes all the difference

Life music and special effects

Select a loudspeaker from our Contractor, Atmosphere, Advantage, and Outback Series. Built for quality and performance. All from Russound.



Russound's Advantage®, Atmosphere and Contractor speakers deliver a true performance edge, thanks to custom drivers and the innovative designs of world-renowned engineers.

Next time you spec a system, turn to Russound for the entire solution.
And pull away from the pack!

Advantage® Series

Unrivaled performance and ease of use to meet any challenge
Award-winning innovations include Twist & Tilt® and Iso-Mount™

Atmosphere Series

Ultimate price/performance from state-of-the-art engineering
Patent-pending structural rib cone for superior bass, detail and sensitivity

Contractor Series

Affordable reliability and quality for a wide range of applications
All-new designs with an optimum blend of value, style and performance

Contractor Series

Single Point Stereo

SP-C503

Round Dual Voice Coil In-wall/In-ceiling Loudspeaker. Features: 5.25" poly-mica woofer with enhanced high-frequency, 8/8 ohms. Steel grilles included.

Cut Out Dimension: 6.5" (16.5 cm) diameter

Order # 3180-520587

Shipping Weight 3 lbs (1.4kg)

SP-C522

Round Single-Point Stereo In-wall/In-ceiling Loudspeaker. Features: 5.25" poly-mica woofer, dual 1/2" neodymium mylar tweeter, 8/8 ohms. Steel grilles included.

Cut Out Dimension: 6.5" (16.5 cm) diameter

Order # 3180-520600

Shipping Weight 3 lbs (1.4kg)

SP-C622

Round Single-Point Stereo In-wall/In-ceiling Loudspeaker. Features: 6.5" poly-mica woofer, dual 3/4" neodymium mylar tweeter, 8/8 ohms. Steel grilles included.

Cut Out Dimension: 7.375"(18.7 cm) diameter

Order # 3180-520631

Shipping Weight 4 lbs (1.8kg)

In - Ceiling

SP-C523

Round 2-Way In-wall/In-ceiling Loudspeaker pair. Features: 5.25" poly-mica woofer, pivoting 1/2" neodymium mylar tweeter, 8 ohms. Steel grilles included.

Cut Out Dimension: 6.5" (16.5 cm) diameter

Order # 3180-520617

Shipping Weight 6 lbs (2.8kg)

SP-C623

Round 2-Way In-wall/In-ceiling Loudspeaker pair. Features: 6.5" poly-mica woofer, pivoting 3/4" neodymium mylar tweeter, 8 ohms. Steel grilles included.

Cut Out Dimension: 7.375" (18.7cm) diameter

Order # 3180-520648

Shipping Weight 7 lbs (3.1kg)

SP-C823

Round 2-Way In-wall/In-ceiling Loudspeaker Pair. Features: 8" poly-mica woofer, pivoting 1" neodymium Mylar tweeter, 8 ohms. Steel grilles included.

Cut Out Dimension: 9.5" (24.1 cm) diameter

Order # 3180-524455

Shipping Weight 8 lbs (3.6kg)

In - Wall

SP-C550

Rectangular 2-Way In-wall/In-ceiling Loudspeaker Pair. Features: 5.25" poly-mica woofer, pivoting 1/2" neodymium Mylar tweeter, 8 ohms.Steel grilles included.

Cut Out Dimension: 9.625" x 6.125" (24.5 cm x 15.6 cm)

Order # 3180-520624

Shipping Weight 6 lbs (2.8kg)

SP-C650

Rectangular 2-Way In-wall/In-ceiling Loudspeaker Pair. Features: 6.5" poly-mica woofer, pivoting 3/4" neodymium Mylar tweeter, 8 ohms. Steel grilles included.

Cut Out Dimension: 10.75" x 7.375" (27.3 cm x 18.7 cm)

Order # 3180-520655

Shipping Weight 8 lbs (3.6kg)

Atmosphere

Atmosphere Series

Single Point Stereo

SP-A6S

Round In-ceiling Single Point Stereo Loudspeaker
Features: 6.5" dual voice coil woofer with patented structural rib injection molded cone, dual 14mm neodymium PEI-dome tweeter, aluminum grille, 8/8 ohms.

Cut Out Dimension: 8.375" (21.3cm) diameter

Order # 3170-520402

Shipping Weight **5 lbs (2.3kg)**

In - Ceiling

SP-A5C

Round 2-Way In-wall/In-ceiling Loudspeaker Pair
Features: 5.25" woofer with patented structural rib injection molded cone, 20mm neodymium Mylar-dome tweeter, aluminum grille, 8 ohms.

Cut Out Dimension: 7.25" (18.4cm) diameter

Order # 3170-520419

Shipping Weight **7 lbs (3.1kg)**

SP-A6C

Round 2-Way In-wall/In-ceiling Loudspeaker Pair
Features: 6.5" woofer with patented structural rib injection molded cone, 20mm neodymium Mylar-dome tweeter, aluminum grille, 8 ohms.

Cut Out Dimension: 8.375" (21.3cm) diameter

Order # 3170-520426

Shipping Weight **9 lbs (4.0kg)**

SP-A8C

Round 2-Way In-wall/In-ceiling Loudspeaker Pair
Features: 8" woofer with patented structural rib injection molded cone, 25mm neodymium Mylar-dome tweeter, aluminum grille, 8 ohms.

Cut Out Dimension: 9.75" (21.3cm) diameter

Order # 3170-520433

Shipping Weight **12 lbs (5.4kg)**

In - Wall

SP-A6W

Rectangular 2-Way In-wall/In-ceiling Loudspeaker Pair
Features: 6.5" woofer with patented structural rib injection molded cone, pivoting 20mm neodymium Mylar-dome tweeter, aluminum grille, 8 ohms.

Cut Out Dimension: 10.75"x 6.75" (27.3 x 17.1 cm)

Order # 3170-520440

Shipping Weight **9 lbs (4.0kg)**

SP-A8W

Rectangular 2-Way In-wall/In-ceiling Loudspeaker Pair
Features: 8" woofer with patented structural rib injection molded cone, pivoting 20mm neodymium Mylar-dome tweeter, aluminum grille, 8 ohms.

Cut Out Dimension: 15"x 9.25" (38.1 x 23.5 cm)

Order # 3170-520457

Shipping Weight **14 lbs (6.4kg)**

Advantage™ Music Series

Single Point Stereo

SP-S5TT

Round In-ceiling Stereo Twist & Tilt™ Loudspeaker.
Features: 5-1/4" woven Glass Fiber dual voice coil woofer, Dual 1/2" polycarbonate tweeters for wide sound dispersion, moisture resistant, Aluminum grilles. Twist & Lock™ baffle mounting, and adjustable directivity of soundstage with Russound's Twist & Tilt mounting technology (pat. pending). Frame and Grille included.
8/8 ohms.
Cut Out Dimension: 7 1/4" Diameter

Order #
3130-120503

Shipping Weight 4.6 lbs (2.1kg)

SP-S6TT

Round In-ceiling Stereo Twist & Tilt Loudspeaker.
Features: 6-1/2" woven Glass Fiber dual voice coil woofer, Dual 1/2" polycarbonate tweeters for wide sound dispersion, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and adjustable directivity of soundstage with Russound's Twist & Tilt mounting technology. Frame and Grille included.
8/8 ohms.
Cut Out Dimension: 8 1/4" Diameter

Order #
3130-120510

Shipping Weight 5 lbs (2.3kg)

In - Ceiling

SP-M5TT

Round In-ceiling Music Series Twist & Tilt Loudspeaker.
Features: 5-1/4" woven Glass Fiber woofer, 3/4" Silk dome tweeter, treble switch, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and adjustable directivity of soundstage with Russound's Twist & Tilt mounting technology. Frames and Grilles included. 8 ohms.
Cut Out Dimension: 7 1/4" Diameter

	Order #	
SP-M5TT	3140-120527	pair

Shipping Weight 7.5 lbs (3.4kg)

SP-M6TT

Round In-ceiling Music Series Twist & Tilt Loudspeaker.
Features: 6-1/2" woven Glass Fiber woofer, 3/4" Silk dome tweeter, treble switch, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and adjustable directivity of soundstage with Russound's Twist & Tilt mounting technology. Frames and Grilles included. 8 ohms.
Cut Out Dimension: 8 1/4" Diameter

	Order #	
SP-M6TT	3140-120534	pair
SP-M6TT-C	3140-120862	single

Shipping Weight 9.1 lbs (4.1kg)

SP-M8TT

Round In-ceiling Music Series Twist & Tilt Loudspeaker.
Features: 8" woven Glass Fiber woofer, 1" Silk dome tweeter, treble switch, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and adjustable directivity of soundstage with Russound's Twist & Tilt mounting technology. Frames and Grilles included. 8 ohms.
Cut Out Dimension: 9 3/4" Diameter

	Order #	
SP-M8TT	3140-120541	pair

Shipping Weight 14 lbs (6.3kg)

In - Wall

SP-M6IM

Rectangular In-wall Music Series Iso-Mount™ Loudspeaker.
Features: 6-1/2" woven Glass Fiber woofer, 3/4" Silk dome pivoting tweeter, treble switch, IR punch out, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and reduced wall vibrations with Russound's Iso-Mount vibration damping mounting technology. Frames and Grilles included.
8 ohms.
Cut Out Dimension: 10 3/4" H x 6 3/4" W

	Order #	
SP-M6IM	3140-120558	pair

Shipping Weight 10.5 lbs (4.7kg)

SP-M8IM

Rectangular In-wall Music Series Iso-Mount Loudspeaker.
Features: 8" woven Glass Fiber woofer, 1" Silk dome pivoting tweeter, treble switch, IR punch out, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and reduced wall vibrations with Russound's Iso-Mount vibration damping mounting technology. Frames and Grilles included.
8 ohms.
Cut Out Dimension: 15" H x 9 1/4" W

	Order #	
SP-M8IM	3140-120565	pair

Shipping Weight 17 lbs (7.7kg)

Advantage

Advantage™ Hi-Fi Series

In - Ceiling

SP-H5TT

Round In-ceiling Hi-Fi Series Twist & Tilt Loudspeaker.
Features: 5-1/4" woven Glass Fiber Long Throw woofer, 3/4" Aluminum dome tweeter, treble switch, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and adjustable directivity of soundstage with Russound's Twist & Tilt mounting technology. Frames and Grilles included. 6 ohms.

Cut Out Dimension: 7 1/4" Diameter

Order #		
SP-H5TT	3150-120572	pair

Shipping Weight 7.5 lbs (3.4kg)

SP-H6TT

Round In-ceiling Hi-Fi Series Twist & Tilt Loudspeaker.
Features: 6-1/2" woven Glass Fiber Long Throw woofer, 3/4" Aluminum dome tweeter, treble switch, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and adjustable directivity of soundstage with Russound's Twist & Tilt mounting technology. Frames and Grilles included. 6 ohms.

Cut Out Dimension: 8 1/4" Diameter

Order #		
SP-H6TT	3150-120589	pair
SP-H6TT-C	3150-121210	single

Shipping Weight 12 lbs (5.4kg)

SP-H8TT

Round In-ceiling Hi-Fi Series Twist & Tilt Loudspeaker.
Features: 8" woven Glass Fiber Long Throw woofer, 1" Aluminum dome tweeter, treble switch, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and adjustable directivity of soundstage with Russound's Twist & Tilt mounting technology. Frames and Grilles included. 6 ohms.

Cut Out Dimension: 9 3/4" Diameter

Order #		
SP-H8TT	3150-120596	pair

Shipping Weight 14.3 lbs(6.5kg)

In - Wall

SP-H6IM

Rectangular In-wall Hi-Fi Series Iso-Mount Loudspeaker.
Features: 6-1/2" woven Glass Fiber Long Throw woofer, 3/4" Aluminum dome pivoting tweeter, treble switch, IR punch out, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and reduced wall vibrations with Russound's Iso-Mount vibration damping mounting technology. Frames and Grilles included. 6 ohms.

Cut Out Dimension: 10 3/4" H x 6 3/4" W

Order #		
SP-H61M	3150-120602	pair

Shipping Weight 13.2 lbs (6kg)

SP-H8IM

Rectangular In-wall Hi-Fi Series Iso-Mount Loudspeaker.
Features: 8" woven Glass Fiber Long Throw woofer, 1" Aluminum dome pivoting tweeter, treble switch, IR punch out, moisture resistant, Aluminum grilles. Twist & Lock baffle mounting, and reduced wall vibrations with Russound's Iso-Mount vibration damping mounting technology. Frames and Grilles included. 6 ohms.

Cut Out Dimension: 15" H x 9 1/4" W

Order #		
SP-H8IM	3150-120619	pair

Shipping Weight 35.8 lbs (16.2kg)

Contractor Specifications

		Model	Description	Dimensions	Cut Out	Mounting Depth	Woofer	Tweeter	Power (W)	Impedance (Ohms)	Efficiency (dB)	Frequency Response
Single Point Stereo		SP-C503	5.25″ DVC round	8″	6.625″	2.625″	5.25″ poly-mica	n/a	50	8/8	88	65Hz-16kHz
		SP-C522	5.25″ single-point stereo round	8″	6.625″	2.625″	5.25″ poly-mica	Dual 0.5″ neodymium mylar dome	50	8/8	89	65Hz-20kHz
		SP-C622	6.5″ single-point stereo round	8.875″	7.75″	3″	6.5″ poly-mica	Dual 0.75″ neodymium mylar dome	60	8/8	90	60Hz-20kHz
In - Ceiling		SP-C523	5.25″ 2-way round	8″	6.625″	2.625″	5.25″ poly-mica	0.5″ pivoting neodymium mylar dome	60	8	88	60Hz-20kHz
		SP-C623	6.5″ 2-way round	8.875″	7.75″	3″	6.5″ poly-mica	0.75″ pivoting neodymium mylar dome	75	8	89	55Hz-20kHz
		SP-C823	8″ 2-way round	10.75″	9.5″	3.5″	8″ poly-mica	1″ pivoting neodymium mylar dome	100	8	90	50Hz-20kHz
In - Wall		SP-C550	5.25″ 2-way wall	7.5″ x 11″	6.25″ x 9.75″	2.625″	5.25″ poly-mica	0.5″ pivoting neodymium mylar dome	60	8	88	60Hz-20kHz
		SP-C650	6.5″ 2-way wall	8.625″ x 12″	7.375″ x 10.75″	3″	6.5″ poly-mica	0.75″ pivoting neodymium mylar dome	75	8	89	55Hz-20kHz

Speakers

Atmosphere Specifications

		Model	Description	Dimensions	Cut Out	Mounting Depth	Woofer	Tweeter	Power (W)	Impedance (Ohms)	Efficiency (dB)	Frequency Response
Single Point Stereo		SP-A6S	6.5″ DVC round single-point stereo	9.75″	8.375″	3.875″	6.5″ injection molded cone	Dual 14mm neodymium PEI-dome	60	8/8	92	55Hz-20kHz
In - Ceiling		SP-A5C	5.25″ round 2-way	8.75″	7.25″	3.5″	5.25″ injection molded cone	20mm neodymium mylar dome	80	8	88	55Hz-20kHz
		SP-A6C	6.5″ round 2-way	9.75″	8.375″	3.875″	6.5″ injection molded cone	20mm neodymium mylar dome	100	8	89	50Hz-20kHz
		SP-A8C	8″ round 2-way	11.25″	9.75″	4″	8″ injection molded cone	25mm neodymium mylar dome	120	8	90	40Hz-20kHz
In - Wall		SP-A6W	6.5″ wall 2-way	8.25″ x 12.25″	6.75″ x 10.75″	3.75″	6.5″ injection molded cone	20mm pivoting neodymium mylar dome	100	8	89	50Hz-20kHz
		SP-A8W	8″ wall 2-way	10.625″ x 16.375″	9.25″ x 15″	3.875″	8″ injection molded cone	25mm pivoting neodymium mylar dome	120	8	90	40Hz-20kHz

Advantage Specifications

		Model	Description	Dimensions	Cut Out	Min. Mounting Depth 0°	Min. Mounting Depth 15°	Woofer	Tweeter	Power (W)	Impedance (Ohms)	Efficiency (dB)	Frequency Response	Key Features
Single Point Stereo		SP-S5TT	5.25″ round stereo	8.75″	7.25″	3.875″	4.125″	Glass Fiber	2 x 14mm Poly	50	8/8	91	60Hz-20kHz	15° Twist & Tilt
		SP-S6TT	6.5″ round stereo	9.75″	8.375″	4.25″	4.5″	Glass Fiber	2 x 14mm Poly	60	8/8	92	55Hz-20kHz	15° Twist & Tilt
Music Series		SP-M5TT	5.25″ round	8.75″	7.25″	3.875″	4.125″	Glass Fiber	20mm Silk	80	8	88	55Hz-20kHz	15° Twist & Tilt
		SP-M6TT	6.5″ round	9.75″	8.375″	4.25″	4.5″	Glass Fiber	20mm Silk	100	8	89	50Hz-20kHz	15° Twist & Tilt
		SP-M8TT	8″ round	11.25″	9.875″	5″	5.625″	Glass Fiber	25mm Silk	120	8	90	40Hz-20kHz	15° Twist & Tilt
		SP-M6IM	6.5″ wall	8.25″ x 12.25″	6.75″ x 10.75″	3.625″	—	Glass Fiber	20mm Silk	100	8	89	50Hz-20kHz	Iso-Mount Vibration Damping
		SP-M8IM	8″ wall	10.625″ x 16.375″	9.25″ x 15″	3.875″	—	Glass Fiber	25mm Silk	120	8	90	40Hz-20kHz	Iso-Mount Vibration Damping
Hi-Fi Series		SP-H5TT	5.25″ round Hi-Fi	8.75″	7.25″	3.875″	4.125″	Long Throw Glass Fiber	20mm Aluminum	100	6	89	50Hz-20kHz	15° Twist & Tilt
		SP-H6TT	6.5″ round Hi-Fi	9.75″	8.375″	4.25″	4.75″	Long Throw Glass Fiber	20mm Aluminum	120	6	90	45Hz-20kHz	15° Twist & Tilt
		SP-H8TT	8″ round Hi-Fi	11.25″	9.75″	5″	5.875″	Long Throw Glass Fiber	25mm Aluminum	140	6	91	35Hz-20kHz	15° Twist & Tilt
		SP-H6IM	6.5″ wall Hi-Fi	8.25″ x 12.25″	6.75″ x 10.75″	3.625″	—	Long Throw Glass Fiber	20mm Aluminum	120	6	90	45Hz-20kHz	Iso-Mount Vibration Damping
		SP-H8IM	8″ wall Hi-Fi	10.625″ x 16.375″	9.25″ x 15″	3.875″	—	Long Throw Glass Fiber	25mm Aluminum	140	6	91	35Hz-20kHz	Iso-Mount Vibration Damping

Rough-In Brackets

Contractor Series Rough-In Brackets

SB-1.5

Rough-in Bracket For SP-C503, SP-C522 and SP-C523
One pair per box.

6.75″ Inside Diameter, 7.75″ Outside Diameter, .75″ D
(171 Inside Diameter, 196 Outside Diameter, 19 mm D)

Order # 3901-115257

Shipping Weight **2 lbs (.9kg)**

SB-1.6

Rough-in Bracket for SP-C622 and SP-C623.
One pair per box.

7.75″ Inside Diameter, 8.75″ Outside Diameter, .75″ D
(197 Inside Diameter, 222 Outside Diameter, 19 mm D)

Order # 3901-118760

Shipping Weight **2 lbs (.9kg)**

SB-1.8

Rough-in Bracket for SP-C823.
One pair per box.

9.5″ Inside Diameter, 10.75″ Outside Diameter, .75″ D
(248 Inside Diameter, 273 Outside Diameter, 19 mm D)

Order # 3901-524479

Shipping Weight **2 lbs (.9kg)**

SB-2.5

Rectangular rough-in bracket for SP-C550.
One pair per box.

9.75″ H x 6.25″ W Inside 10.75″ H x 7.25″ W Outside x .75″ D
(248 H x 159 W Inside 273 H x 184 W Outside x 19 mm D)

Order # 3901-115264

Shipping Weight **2 lbs (.9kg)**

SB-2.6

Rectangular rough-in bracket for SP-C650
One pair per box.

11″ H x 7.5″ W Inside 12″ H x 8.5″ W Outside x .75″ D
(279 H x 190 W Inside 305 H x 216 W Outside x 19 mm D)

Order # 3901-115271

Shipping Weight **2 lbs (.9kg)**

Advantage & Atmosphere Series Rough-In Brackets

Improved Stronger Wing-Clip

SB-5TT

Rough-in Bracket for all 5-1/4″ Twist & Tilt and Atmosphere models. 8 unit master pack.

Order # 3901-120626

Shipping Weight **3.2 lbs (1.4kg)**

SB-6TT

Rough-in Bracket for all 6-1/2″ Twist & Tilt and Atmosphere models. 8 unit master pack.

Order # 3901-120633

Shipping Weight **3.4 lbs (1.5kg)**

SB-8TT

Rough-in Bracket for all 8″ Twist & Tilt models and Atmosphere models.4 unit master pack.

Order # 3901-120640

Shipping Weight **3 lbs (1.4kg)**

SB-6IM



Rough-in Bracket for all 6-1/2″ Iso-Mount and Atmosphere models. 8 unit master pack.

Order # 3901-120657

Shipping Weight **3.6 lbs (1.6kg)**

SB-8IM



Rough-in Bracket for all 8″ Iso-Mount and Atmosphere models. 4 unit master pack.

Order # 3901-120664

Shipping Weight **3 lbs (1.4kg)**

Russound

Special Purpose Speakers

Sometime square is a perfect fit!

Match other square items such as vents, fans and registers

SP652.1



Square Wall/Ceiling Mount Loudspeaker. 6 1/2" woofer with 1/2" uni-axis neodymium mylar dome tweeter. Features tweeter level switch, IR punch out, two piece baffle. Injection molded graphite laminated cone with butyl rubber surround.

10" W x 10" H x 3.125" D (254 x 254 x 79.4 mm)

Order #
3110-113703

Shipping Weight
11 lbs (5kg)

SP622.1



Square Wall/Ceiling Mount Single Point Stereo Loudspeaker. Dual voice coil 6 1/2" woofer, dual 1/2" titanium dome tweeters. Two piece baffle. Injection molded graphite laminated cone.

10" W x 10" H x 3.125" D (254 x 254 x 79.4 mm)

Order #
3110-113727

Shipping Weight
5.1 lbs (2.3kg)

SB-3.6

Square rough-in bracket for SP652.1 and SP622.1.
One pair per box.

8.8125" H x 8.8125" W Inside 10" H x 10" W Outside x .75" D
(224 H x 224 W Inside 254 H x 254 W Outside x 19 mm D)

Order #
3901-115288

Shipping Weight
3 lbs (1.4kg)

OutBack Outdoor Speakers

OutBack Rock Speakers

Gray Granite
OB-R6G

White Sandstone
OB-R6W

Fieldstone
OB-R6F

OutBack Rocks

Russound's OutBack Rock Speakers, available in Gray Granite, White Sandstone and Fieldstone models, blend into any landscape, withstand the elements and were optimized for outdoor audio performance. The cast enclosure is made from a glass-reinforced resin to provide a sturdy, waterproof cabinet with low acoustic resonance for better sound.

Impedance: 8 ohms. Efficiency: 89dB (1 watt @ 1 meter)
Recommended power handling: 10-100 watts.

14" W x 10" H x 9.25" D (35.6 x 25.4 x 23.5 cm)

Order #	Color
3120-524141	Grey Granite
3120-524158	White Sandstone
3120-524165	Fieldstone

Shipping Weight
10 lbs (4.5kg)

Russound

OutBack Outdoor Speakers

OutBack Outdoor Speakers

OB-4.1

4″ indoor/outdoor speakers. Sold in pairs only. Complete with mounting bracket and terminal shields.

6.75″ W x 8.625″ H x 5.875″ D
(17.5 x 22 x 14.95 cm)

Order #	Color
3120-114397	White
3120-114502	Black

Shipping Weight
11.5 lbs (5.2kg)

OB-5.1

5 1/4″ indoor/outdoor speakers. Sold in pairs only. Complete with mounting bracket and terminal shields.

7.25″ W x 9.625″ H x 6.5″ D
(18.5 x 24.5 x 16.5 cm)

Order #	Color
3120-114410	White
3120-114526	Black

Shipping Weight
12.5 lbs (5.7kg)

OB-6.1

6 1/2″ indoor/outdoor speakers. Sold in pairs only. Complete with mounting bracket and terminal shields.

8.5″ W x 11.875″ H x 7.5″ D
(21.6 x 30.2 x 19.1 cm)

Order #	Color
3120-114434	White
3120-114540	Black

Shipping Weight
18 lbs (8.2kg)

OB Solo

5 1/4″ indoor/outdoor Speaker - Single point stereo - 2 tweeters. Sold individually. Complete with mounting bracket and terminal shields.

11.88″ W x 8.5″ H x 7.5″ D
(302 x 216 x 191 mm)

Order #	Color
3120-115363	White
3120-115356	Black

Shipping Weight
10 lbs (4.5 kg)

PlateMate™

Plates Assembled with Gold Connectors

PlateMate™ Standard plates are available in white or bone. PlateMate™ Decora® versions are available in white, bone and almond.

Russound's PlateMate™ system is designed to minimize your accessories inventory and maximize your flexibility! PlateMate™ is a modular system, with separate plates and connectors that you actually build to your exact requirements.

HTP-2
Home Theater Plate

Now!



Double-gang, in-wall connection plate for connection of all speakers in a 5.1, 6.1 or 7.1 channel surround sound system (14) 5-way binding posts, 7/16" hex head, (2) RCA-F connectors on heavy-duty molded plate. Connections for
(2) powered subwoofers.

Order #	Color
7101-524110	White

HTP-1
Home Theater Plate



(12) 5-way binding posts, 7/16" hex head, (2) RCA-F connectors on double-gang standard plate. Hookup for passive or powered subwoofer.

Order #	Color
7101-121807	White

5-Way Binding Posts

BP1S

(2) PM-BP (1 Red and 1 Black) 5-way binding post connectors on a standard plate.

Order #	Color
7101-841682	White

BP1D

(2) PM-BP (1 Red and 1 Black) 5-way binding post connectors on a Decora® plate.

Order #	Color
7101-850240	White

PlateMate™ Spring Loaded Connectors

SL-2P

2 Position Spring loaded connector color coded Red and Black. Crimp-on rear terminal on a standard pate

Order #	Color
7101-803017	White
7101-803024	Bone

SL-4P

4 Position Spring loaded connector color coded Red and Black. Crimp-on rear terminal on a standard plate.

Order #	Color
7101-803079	White
7101-803086	Bone

Banana Jacks

BP10S

(4) PM-BP (2 Red and 2 Black) 5-way binding post connectors on a standard plate.

Order #	Color
7101-841927	White

BP10D

(4) PM-BP (2 Red and 2 Black) 5-way binding post connectors on a Decora® plate.

Order #	Color
7101-850486	White

BP1-2

(8) PM-BPP (4 Red and 4 Black) 5-way binding post connectors on a 2 gang standard plate.

Order #	Color
7101-811562	White

BP1-3

(12) PM-BP (6 Red and 6 Black) 5-way binding post connectors on a 3 gang standard plate.

Order #	Color
7101-811920	White

Standard Single Gang Plates – Available in white or bone in packs of 6

PM-1S
Standard single gang plate with 1 hex hole. 6 pcs. per box.

Order #	Color
7104-111907	White
7104-112133	Bone

PM-2S
Standard single gang plate with 2 hex hole. 6 pcs. per box.

Order #	Color
7104-111914	White
7104-112140	Bone

PM-3S
Standard single gang plate with 3 hex hole. 6 pcs. per box.

Order #	Color
7104-111921	White
7104-112157	Bone

PM-4S
Standard single gang plate with 4 hex hole. 6 pcs. per box.

Order #	Color
7104-111938	White
7104-112164	Bone

PM-6S*
Standard single gang plate with 6 hex holes. - 6 pcs. per box. Not used with PM-DB.

Order #	Color
7104-111945	White
7104-112171	Bone

PM-8S*
Standard single gang plate with 8 hex holes. 6 pcs. per box. Not used with PM-DB.

Order #	Color
7104-111952	White
7104-112188	Bone

Decora Single Gang Plates – Available in white, bone or almond in packs of 6

PM-1D
Decora plate with 1 hex hole. 6 pcs. per box.

Order #	Color
7104-111969	White
7104-112331	Almond
7104-112195	Bone

PM-2D
Decora plate with 2 hex hole. 6 pcs. per box.

Order #	Color
7104-111976	White
7104-112348	Almond
7104-112201	Bone

PM-3D
Decora Plate with 3 hex hole. 6 pcs. per box.

Order #	Color
7104-111983	White
7104-112355	Almond
7104-112218	Bone

PM-4D
Decora plate with 4 hex hole. 6 pcs. per box.

Order #	Color
7104-111990	White
7104-112362	Almond
7104-112225	Bone

PM-6D*
Decora plate with 6 hex holes. 6 pcs. per box. Not used with PM-DB.

Order #	Color
7104-112003	White
7104-112379	Almond
7104-112232	Bone

PM-8D*
Decora plate with 8 hex holes. 6 pcs. per box. Not used with PM-DB.

Order #	Color
7104-112010	White
7104-112386	Almond
7104-112249	Bone

*Not to be used with PM-DB

Box & Boxed Kits

PlateMate™ Box & Boxed Kits

Standard & Decora Single Gang Modular Plates – Available in white, bone or almond in packs of 6

PM-MOD1S
Standard single gang plate with (1) modular hole. 6 pcs. per box.

Order #	Color
7104-112027	White
7104-112256	Bone
7104-120251	Almond

PM-MOD2S
Standard single gang plate with (2) modular holes. 6 pcs. per box.

Order #	Color
7104-112034	White
7104-112263	Bone
7104-120275	Almond

PM-MOD3S
Decora plate with (3) modular hole. 6 pcs. per box.

Order #	Color
7104-112041	White
7104-112270	Bone
7104-120299	Almond

PM-MOD4S
Standard single gang plate with (4) modular holes. 6 pcs. per box.

Order #	Color
7104-113345	White
7104-113352	Bone
7104-120305	Almond

PM-MOD1D
Decora plate with (1) modular holes. 6 pcs per box.

Order #	Color
7104-112058	White
7104-112287	Bone
7104-120244	Almond

PM-MOD2D
Decora plate with (2) modular holes. 6 pcs. per box.

Order #	Color
7104-112065	White
7104-112294	Bone
7104-120268	Almond

PM-MOD3D
Decora Plate with (2) hex and (1) modular holes. 6 Pcs Per Box

Order #	Color
7104-112072	White
7104-112300	Bone
7104-120282	Almond

PM-MOD4D
Decora plate with (4) modular holes. 6 pcs. per box.

Order #	Color
7104-520471	White
7104-520488	Bone
7104-520495	Almond



Custom labels
for the PlateMate System

PM System Label 6-Pack

Order #
7101-121333

Special Application

Special Application Connectors

MOD-VB

Premium gold plated RCA. Converts video signal from RCA to CAT-5 cable.
Sold in pairs.

Order #	Shipping Weight
7103-121876	2oz (.05 kg)



MOD-F2F

Premium gold plated female F to F connectors with modular bracket.
12 Pcs. per box. For use with PM-MOD wall plates.

Order #	Color	Shipping Weight
7103-111358	White	5oz (.1 kg)
7103-111587	Bone	
7103-120336	Almond	

MOD-RJ45CAT5

RJ-45 modular telephone Jack with CAT-5 Connector (8 wire) Gold plated. 6 Pcs. Per Box.
For Use With PM-MOD wallplates

Order #	Color	Shipping Weight
7103-111365	White	2oz (.05 kg)
7103-111594	Bone	
7103-120312	Almond	

MOD-RJ11

RJ11 Telephone Jack (6 Wire) gold plated. 6 Pcs. Per box for use with PM-MOD wall plates.

Order #	Color	Shipping Weight
7103-111372	White	2oz (.05 kg)
7103-111600	Bone	
7103-120329	Almond	



PM-BP

Premium heavy duty gold plate - 5-way binding posts. 12 Pair Per Box. (12 Red and 12 Black)

Order #	Shipping Weight
7103-111822	12.5oz (.4 kg)

PM-BJ

Premium gold plated Banana Jacks. 12 Pair Per Box. (12 Red and 12 Black)

Order #	Shipping Weight
7103-111839	13oz (.4 kg)



PM-SB

Premium gold plated banana plugs with threaded insert. 6 Pair per box. (6 Red and 6 Black)

Order #	Shipping Weight
7103-115523	4.5oz (.1 kg)



PM-DB

Premium gold plated double banana plugs with threaded insert.
6 Pcs. per Box.

Order #	Shipping Weight
7103-112423	9oz (.3 kg)



PM-RCA

Premium gold plated RCA jack-rear solder tab.
12 Pcs. per box.

Order #	Color	Shipping Weight
7103-112317	Yellow	3.5oz (.1 kg)
7103-112089	White	
7103-111846	Red	

PM-RCA2

Premium gold plated RCA Jack to RCA jack.
12 Pcs. per Box

Order #	Color	Shipping Weight
7103-112416	Yellow	3.5oz (.1 kg)
7103-112409	White	
7103-112393	Red	



PM-RCAF

Premium Gold Plated RCA Jack to F-connectors.
12 Pcs. Per Box

Order #	Color	Shipping Weight
7103-112324	Yellow	4.5oz (.1 kg)
7103-112096	White	
7103-111853	Red	
7103-521355	Green	
7103-521348	Blue	

PM-FF

Premium Gold Plated Female F to F connectors. 12 Pcs. Per Box

Order #	Shipping Weight
7103-111860	3.5oz (.1 kg)

Decora®

Decora® Wall Plates

ACRP-26

Single gang Decora® cover plate. Sold in pack of 25.

Order #	Color
7105-451003	White
7105-451041	Almond
7105-451010	Bone
7105-451027	Black
7105-451058	Brown

Shipping Weight
1 lbs 4oz (.58kg)

ACRP-262

Two gang Decora® cover plate. Sold in pack of 25.

Order #	Color
7105-451065	White
7105-113802	Almond
7105-451072	Bone
7105-451089	Black
7105-114700	Brown

Shipping Weight
2 lbs 5oz (1.4kg)

ACRP-263

Three gang Decora® cover plate. Sold Individually.

Order #	Color
7105-451126	White
7105-115691	Almond
7105-451133	Bone
7105-119514	Black
7105-115622	Brown

Shipping Weight
1 lbs (.5kg)

ACRP-264

Four gang Decora® cover plate. Sold Individually.

Order #	Color
7105-451188	White
7105-119521	Almond
7105-451195	Bone
7105-451201	Black
7105-119538	Brown

Shipping Weight
1 lbs (.5kg)

ACRP-265

Five gang Decora® cover plate. Sold Individually.

Order #	Color
7105-451249	White
7105-451287	Almond
7105-451256	Bone
7105-119545	Black
7105-119552	Brown

Shipping Weight
2 lbs (.9kg)

ACRP-266

Six gang Decora® cover plate. Sold Individually.

Order #	Color
7105-451300	White
7105-119569	Almond
7105-451317	Bone
7105-115707	Black
7105-114717	Brown

Shipping Weight
2.4 lbs (1.03kg)

Decora® Wall Plates continued

SWP-1

Single gang **Screwless Cover Plate.**

Order #	Color
7106-115615	White
7106-114267	Almond

Shipping Weight 1oz (.04kg)

New!

Shipping Weight 2oz (.071kg)

Order #	Color
7106-526480	Stainless Steel

SWP-2

Two gang **Screwless Cover Plate.**

Order #	Color
7106-114274	White
7106-114281	Almond

Shipping Weight 2oz (.071kg)

New!



Shipping Weight 2oz (.071kg)

Order #	Color
7106-526497	Stainless Steel

SWP-3

Three gang **Screwless Cover Plate.**

Order #	Color
7106-115301	White
7106-115431	Almond

Shipping Weight 3oz (.10kg)

New!



Shipping Weight 3.5oz (.11kg)

Order #	Color
7106-526503	Stainless Steel

SWP-4

Four gang **Screwless Cover Plate.**

Shipping Weight 3.5oz (.11kg)

Order #	Color
7106-115677	White
7106-115448	Almond

New!



Shipping Weight 3.5oz (.11kg)

Order #	Color
7106-526510	Stainless Steel

Plastic Work Boxes – Retrofit

S1-18-W

S1-18-W

Single gang with two Auto Clamps®.
Two Quick Click® entries for each end.
2.0625" W x 2.875" H x 3.125" D
(52.4 x 73.1 x 79.4 cm)

Order #
7200-450051

Shipping Weight 4oz (.1kg)

S2-32-W

Double gang with four Auto Clamps®.
Four Quick Click® entries for each end.
3.875" W x 2.9375" H x 3.125" D
(98.5 x 74.7 x 79.4 cm)

Order #
7200-450068

Shipping Weight 5oz (.1kg)

Plastic Work Boxes

Plastic Work Boxes – New Construction

UL Classified and ICBO Recognized. Quick Click® and Auto Clamp are registered trademarks of the Pass and Seymour/Legrand Corporation. Note: All Work Boxes must be purchased in 10 piece lots.

S1-18-R

S1-18-R

Single gang captive mounting nails.
Two Quick Click® entries for each end.
2.0625" W x 2.875" H x 3.125" D
(52.4 x 73.1 x 79.4 mm)

Order # 7200-450075

Shipping Weight **4oz (.1kg)**

S1-22-R

Single gang captive mounting nails.
Two Quick Click® entries for each end.
2.0625" W x 2.9375" H x 3.4375" D
(52.4 x 74.7 x 87.4 mm)

Order # 7200-114694

Shipping Weight **5oz (.1kg)**

S2-35-RAC

Double gang captive mounting nails.
Four Quick Click® entries for each end.
3.8125" W x 2.9375" H x 3.0625" D
(96.9 x 74.7 x 77.8 mm)

Order # 7200-450082

Shipping Weight **5oz (.1kg)**

S3-54-RAC

Triple gang captive mounting nails.
Six Auto Clamps® for each end.
5.875" W x 2.9375" H x 3.125" D
(149.3 x 74.7 x 79.4 mm)

Order # 7200-450099

Shipping Weight **7oz (.2kg)**

P-Rings – Retrofit



CADMPAL2

CADMP1P

1 gang p-ring retrofit
2.5" W x 4.25" H x 1.5" D
(63.5 x 108 x 38.1 mm)

Order # 7200-119576

Shipping Weight **1oz (.05kg)**

CADMPAL2

2 gang p-ring retrofit
4.25" W x 4.25" H x 1.5" D
(108 x 108 x 38.1 mm)

Order # 7200-119583

Shipping Weight **1oz (.05kg)**

CADMP34P

3-4 (via cut-away partitions) gang p-ring retrofit
7.875" W x 4.25" H x 1.5" D
(201 x 108 x 38.1 mm)

Order # 7200-119590

Shipping Weight **1.5oz (.05kg)**

Outdoor Thermoplastic Covers



E9U2CRN Double gang, surface mount clear weather proof outdoor cover. Allows double gang device to be mounted in a humid environment.

Order # 7200-521157

Shipping Weight **Call**



E9U2GRN Double gang, surface mount grey weather proof outdoor cover. Allows double gang device to be mounted outside.

Order # 7200-521164

Shipping Weight **Call**

WPB 37-03 Horizontal self-closing cover with 3/32" gasket and 2 mounting screws. Mounts to single-gang box.

4.9375" W x 2.875" H x 1.6875" D
(125.5 x 73.1 x 42.9 mm)

Order # 9000-450006

Shipping Weight **9oz (.3kg)**

WPB 37-03FS Same as above except mounts to flat surface with 4 screws.

4.9375" W x 2.875" H x 1.75" D
(125.5 x 73.1 x 44.5 mm)

Order # 9000-450013

Shipping Weight **9oz (.3kg)**

WPB 37-23 Vertical self-closing cover with 3/8" gasket and 2 mounting screws. Mounts to single-gang box.

3.0625" W x 4.8125" H x 1.1875" D
(77.8 x 122.4 x 30.2 mm)

Order # 9000-450020

Shipping Weight **9oz (.3kg)**

WPB 37-23FS Same as above except mounts to flat surface with 4 screws.

3.0625" W x 4.8125 H x 1.1875" D
(77.8 x 122.3 x 30.2 mm)

Order # 9000-450037

Shipping Weight **9oz (.3kg)**

Plastic Work Boxes

Miscellaneous Boxes

UK 1 GANG METAL WORKBOX
47 mm deep metal UK style back box for use with A-KP-EU

Order # 7200-521492

Shipping Weight **Call**



CARSC20R Orange double gang, shallow mount backless box. Desgined to be used with shallow devices (UNO-S2)

Order # 7200-521494

Shipping Weight **Call**



42-777 2GA Double gang, surface mount back box in gray. Allows double gang devices to be mounted on wall.

Order # 7200-521133

Shipping Weight **Call**



ARLLV2 Low voltage double gang ring style mounting P-ring.

Order # 7200-521493

Shipping Weight **Call**



SaphIR is forever

Treat your systems to a gift that keeps on receiving. Russound SaphIR infrared receivers answer “yes” with a blue confirmation flash. Take advantage of our complete range of IR accessories, including flush-mount, surface-mount, table-top, micro and in-wall IR receivers and connecting blocks.
All models are CFL-friendly.

1. Your choice of a SaphIR IR receiver will take an IR command sent from your remote control and send it down a wire to the source equipment location.

2. This wire is connected to an 857 surface-mount or IRB-6 in-wall IR connecting block. The connecting block receives this IR data from the wire and prepares it to be sent through IR emitters to control your source components.

3. The Russound 845.1 IR emitters plug into the IR connecting block and then attach to the IR receiving window of each source. This allows the IR command sent to be retransmitted to your sources.



SaphIR

SaphIR Solutions

IRJ-1

SaphIR Extender Kit with Tabletop Receiver

Everything you need to start using IR to control your A/V system. Kit includes our 854 table top IR receiver, 857 connection block, 846C power supply and (4) 845.1 IR emitters.

Order #

5100-521508

New!

IRJ-1P

SaphIR Extender Kit with Tabletop Plasma Friendly Receiver

Plasma-friendly tabletop IR control kit for your plasma screen home theater system. Kit includes the 854P plasma-friendly tabletop IR receiver, 857 IR connection block, 846C power supply and (4) 845.1 IR emitters.

Order #

5100-526602

Shipping Weight
3 lbs (1.4kg)

IRJ-2

SaphIR Extender Kit with Flush-Mount Receiver

Everything you need to start using IR to control your A/V system. Kit includes our 862 Eye flush-mount IR receiver, 857 connection block, 846C power supply and (4) 845.1 IR emitters.

Order #

5100-521515

New!

IRJ-2P

SaphIR Extender Kit with Flush-Mount Plasma Friendly Receiver

Plasma-friendly flush-mount IR control kit for your plasma screen home theater system. Kit includes the 862P Eye plasma-friendly flush-mount IR receiver, 857 IR connection block, 846C power supply and (4) 845.1 IR emitters.

Order #

5100-526619

Shipping Weight
3 lbs (1.4kg)

IRJ-3

SaphIR Connecting Block Kit

The basic starter kit. Kit includes our 857 connecting block and 846C power supply. Select the other components you need to complete your installation from our comprehensive SaphIR product line.

Order #

5100-521522

Shipping Weight
1 lbs (.5kg)

IRJ-4

SaphIR Connecting Block Kit

Everything you need to start using IR to control your A/V system. Kit includes the 860 Phantom mini IR receiver, 857 IR connection block, 846C power supply and (4) 845.1 IR emitters.

Order #

5100-526626

New!

IRJ-4P

SaphIR Extender Kit with Surface Mount Plasma Friendly Receiver

Plasma-friendly surface mount IR control kit for your plasma screen home theater system. Kit includes the 860P Phantom plasma-friendly surface mount mini IR receiver, 857 connection block, 846C power supply and (4) 845.1 IR emitters.

Order #

5100-526633

Shipping Weight
1 lbs (.5kg)

IRK-1

SaphIR Extender Kit with In-Wall IR Receiver

Everything you need to start using IR to control your A/V system. Kit includes our 858 in-wall IR receiver, 857 connection block, 846C power supply and (2) 1584.1 dual IR emitters.

Order #	Color
5100-116308	White
5100-116315	Almond

Shipping Weight
3 lbs (1.4kg)

SaphIR Keypads and Remotes

K2

Universal Learning/Programable IR In-Wall Keypad

with backlit display. Features: source component library of over 1,000 devices, built-in IR receiver with talkback LED, display backlight switchable to green or amber. Controls up to 8 A/V components. Requires 1201A power supply.

Order #	Color
2500-119729	White
2500-119736	Almond
2500-119743	Bone
2500-119750	Black
2500-119767	Brown

Shipping Weight 2 lbs (.9kg)

EZpro

New!

Download your FREE EZpro software from www.russound.com

SaphIR EZpro custom programming software allows the installer to quickly and easily setup many complex parameters for the SaphIR K2 keypad. Save and use programming for new jobs and to quickly recall and edit previous installations — saving time and money. Logical menus and a familiar interface make it user friendly.

Requires programing cable. Order #: 2500-121036, Dealer price $12.60

SRC2

New!

The System Remote Control is the complete solution for all of your remote control requirements. It is designed to operate source devices and Russound audio system keypads. Controls up to eight devices.

Order #
1210-524196

Shipping Weight 1 lb (.45kg)

SaphIR Receivers

862 Eye

New!

862 Eye IR receiver is a flush-mounting design which mounts in a .5" hole. The 862 Eye is CFL-friendly and provides a blue talkback indicator visible from the front of the Eye. The 862 Eye is packaged with trim bezels in White, Black and Brass for installation flexibility. 77" cable length, stripped and tinned leads and a screw terminal strip.
7/16" Diameter x 2 1/8" Long

862 Eye Order #
5100-521362

Shipping Weight 6oz (.2kg)

862P Plasma Eye

862P Plasma Eye IR Receiver has all of the features and performance of the 862 Eye plus Plasma-Friendly operation. The 862P is designed to work in Home Theater applications which use Plasma screens. 77" cable length, stripped and tinned leads and a screw terminal strip.
7/16" Diameter x 2 1/8" Long

862P Plasma Eye Order #
5100-521539

Shipping Weight 6oz (.2kg)

860 Phantom

New!

860 Phantom Miniature IR receiver that mounts anywhere. The receiver is CFL-friendly and has a blue talkback indicator visible at the front of the Phantom. Its small size makes it easy to hide in plain view. 77" cable length, stripped and tinned leads and a screw terminal strip.
7/16" W x 3/8" H x 2 1/8" D

Order #	Color
5100-119620	White
5100-119637	Black

Shipping Weight 6oz (.2kg)

860P Phantom

860P Phantom Miniature IR Receiver has all of the features and performance of the 860 Phantom plus Plasma-Friendly operation. The 860P is designed to work in Home Theater applications which use Plasma screens. 77" cable length, stripped and tinned leads and a screw terminal strip.
7/16" Diameter x 2 1/8" Long

Order #	Color
5100-525957	Silver
5100-525940	Black

Shipping Weight 6oz (.2kg)

SaphIR Receivers – continued

858

858 In-Wall IR receiver mounts in a standard single-gang wall box. The receiver is CFL-friendly and provides a green LED indicator for Status and a blue LED indicator for talkback.

1.75" W x x 4.3125" H x .375" D (44.5 x 63.5 x 63.5 mm)

Order #	Color
5100-114458	White
5100-114465	Almond
5100-117923	Bone
5100-117930	Black
5100-117947	Brown

Shipping Weight 6oz (.2kg)

New!

858P

858P Plasma In-Wall IR Receiver has all of the features and performance of the 858 plus Plasma-Friendly operation. The 858P is designed to work in Home Theater applications which use Plasma screens.

1.75" W x x 4.3125" H x .375" D (44.5 x 63.5 x 63.5 mm)

Order #	Color
5100-521478	White
5100-521423	Almond
5100-521454	Bone
5100-521430	Black
5100-521461	Brown

Shipping Weight 6oz (.2kg)

854

854 Table Top IR receiver. The receiver is CFL-friendly and has a front panel mounted blue talkback indicator. 84" cable with 1/8" stereo mini-plug. 12 VDC.

2.28" W x .72" H x 1.68" D (55 x 18 x 42 mm)

Order #
5100-121951

Shipping Weight 6oz (.2kg)

New!

854P

854 Table Top IR Receiver has all of the features and performance of the 854 plus Plasma-Friendly operation. The 854P is designed to work in Home Theater applications which use Plasma screens

2.28" W x .72" H x 1.68" D (55 x 18 x 42 mm)

Order #
5100-525933

Shipping Weight 6oz (.2kg)

DP-WIR

DP-WIR is an add-on IR receiver kit for ALTx and LPTx volume controls and adds the capability to receive IR commands to an existing speaker volume control wall plate. The receiver is CFL-friendly and provides an LED indicator for system status.

Order #	Color
5100-115820	White
5100-115806	Almond
5100-115813	Bone
5100-118807	Black
5100-118791	Brown

Shipping Weight 1 lbs (.5kg)

SaphIR Emitters

845.1

The 845.1 IR Micro Emitter is a stick-on emitter for controlling A/V equipment. 77″ cable length.

.5″ W x .375″ H x .25″ D (12.7 x 9.6 x 6.4 mm)

Order # 5100-114076

Shipping Weight 6oz (.2kg)

1584.1

The 1584.1 Dual Head IR Micro Emitter is a stick-on emitter for controlling A/V equipment. 77″ cable length.

.5″ W x .375″ H x .25″ D (12.7 x 9.6 x 6.4 mm)

Order # 5100-113789

Shipping Weight 6oz (.2kg)

SaphIR Connecting Blocks

IRB-1

IRB-1 is an effective way to connect an IR receiver to an IR control system. It provides a single jack in the front panel for the IR receiver connection and screw terminals at the rear for the in-wall IR wiring. Mounts in a single gang junction box or p-ring and uses standard Decora cover plates. **(available in white only)**

1.4375″ W x 2.625″ H x 1.625″ D (36.6 x 66.7 x 41.3 mm)

Order # 5100-113321

Shipping Weight 6oz (.2kg)

IRB-6

IRB-6 is a wall-mounted IR connecting block. Front panel has 4 output jacks for IR emitters, an input jack for a system connection and an input jack for IR system power. A terminal block at the rear of the IRB-6 accepts connections from remotely located IR receivers. Mounts in a standard single-gang junction box or p-ring and uses standard Decora cover plates. **(available in white only)**

1.4375″ W x 2.625″ H x 1.625″ D (36.6 x 66.7 x 41.3 mm)

Order # 5100-113338

Shipping Weight 6oz (.2kg)

857

857 connecting block is the center of an IR installation. The 857 provides connections for an IR Receiver, 6 emitters, a 12 volt power supply and a 12V Status power supply. LED's indicate power status and IR activity.

3.25″ W x 1.85″ H x 1″ D (83 x 47 x 25 mm)

Order # 5100-115455

Shipping Weight 6oz (.2kg)

SaphIR

SaphIR Cables and Extensions

AW2260AB

4 conductor, 22 gauge signal/data cable, 2 pair twisted w/shield, 19/34 tinned copper, PVC jacket, temp. Rating 75º C, UL Type CL3, WHITE JACKET. 1000 foot pull-box only. Conducts sensitive IR signals and shields them from outside noise.

Order # 9000-115240

Shipping Weight **22.4 lbs (10.2kg)**

900

Receiver extension – 50 foot cable with stereo male/female 3.5mm mini connectors for extending receivers.

1.4375" W x 2.625" H (36.6 x 66.7 mm)

Order # 5200-480065

Shipping Weight **6oz (.2kg)**

SaphIR Power Supplies

846C

Provides 12 Volts at 300mA. Used for small and simple installations. Wall mounted transformer unit, 6 foot cord terminating in 2.1mm coaxial plug. 110VAC

2" W x 2.375" H x 1.625" D (50.8 x 60.4 x 41.3 mm)

Order # 5100-480034

Shipping Weight **1 lbs (.5kg)**

1201A

Provides 12 Volts at 1000mA. Used in larger installations. May be used to drive up to 4 SaphIR K2 Keypads. Wall mounted transformer unit, 6 foot cord terminating in 2.1mm coaxial plug. 110VAC

2.1875" W x 2.875" H x 2.0625" D (55.7 x 73.1 x 52.4 mm)

Order # 6300-111075

Shipping Weight **1 lbs (.5kg)**

System Accessories

ACT-1

120 VAC - 12-Volt DC triggered outlet with resettable circuit breaker. Switches up to 10 amps.
3.75″ W x 2″ H x 5″ D (9.5 x 5.1 x 12.7 cm)

Shipping Weight 12.5oz (.4kg)

Product	Order #
ACT-1 US	9500-115592

LFP-1.2



Low Frequency Protection Module. Protects impedance-matching devices from subsonic frequencies and clipping. Color-coded detachable 14-gauge snap connectors.
3.75″ W x 1.5″ H x 2.5″ D (9.6 x 3.81 x 6.4 cm)

Shipping Weight 6oz (.2kg)

Order # 9500-520938

ADP-1.2



Speaker to line-level adapter. Recommended for use with CA6.4i and CAM6.6 to obtain line level outputs for zones without pre-amp outputs.
Color-coded detachable 14-gauge snap connectors.
3.375″ W x 1″ H x 2.5″ D (8.6 x 2.6 x 6.4 cm)

Shipping Weight 6oz (.2kg)

Order # 9500-200891

Data and Speaker Cable

AW162CL3

2 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL type CL3, LIGHT BLUE JACKET. 1000 foot pull-box only.

Shipping Weight 30.4 lbs (13.8kg)

Order # 9000-119316

AW164C5



4 pair twisted, 24 gauge, CAT-5E cable, solid copper, PVC jacket, telephone/data grade/ISDN. Zipcord with 4 conductor, 16 gauge speaker cable. 500 foot spool. PINK jacket.

Shipping Weight 66 lbs (29.7kg)

Order # 9000-121838

AW164CL3

4 conductor, 16 gauge speaker cable, unshielded, 26/30 strands bare copper, .024 nominal PVC jacket, temp. rating 75° C, UL Type CL3, YELLOW JACKET. 500 foot pull-box only.

Shipping Weight 28.7 lbs (13kg)

Order # 9000-460067

AW2260AB

4 conductor, 22 gauge signal/data, 2 pair twisted w/shield, 19/34 tinned copper, PVC jacket, temp. Rating 75º C, UL Type CL3, White jacket. 1000 ft. pull-box only. Conducts sensitive IR signals and shields them from outside noise.

Shipping Weight 22.4 lbs (10.2kg)

Order # 9000-115240

AWCAT5



8 conductor, 24 gauge CAT-5E cable, 4 pair twisted, solid copper, PVC jacket, telephone/data grade/ISDN, GRAY JACKET. 1000 Foot pull-box only.

Shipping Weight 24 lbs (10.9kg)

Order # 9000-119323

Point of Purchase

Point of Purchase and Sales Materials

POP Display A-KP-0

Acrylic A-BUS® Keypad Display Panel for showrooms. Suitable for counter tops or wall mounting. Includes: (1) Display Panel With Velcro®, (2) Display Support Stands with Velcro Mounting Hardware. (Does not include keypad or power supply) 13" W x 8.5"H x 3.5"D

Order # 9920-115066

Shipping Weight **3.8 lbs (1.7kg)** NET **$45.00**

POP Display A-KP-1

Acrylic A-BUS® Keypad Display Panel for showrooms.
Suitable for counter tops or wall mounting. Includes: (1) Display Panel, (2) Display Supports, (1) A-KP2 and (1) Power Supply.
13" W x 8.5"H x 3.5"D

Order # 9920-114311

Shipping Weight **4.8 lbs (2.2kg)** NET **$95.00**

POP Display A-KP2

Acrylic A-BUS® Keypad Display, for showrooms.
Suitable for counter tops or wall mounting. Includes: (1) Display Panel, (2) Display Supports, (1) A-KP2, (1) A-H4 and (1) Power Supply.
13" W x 8.5"H x 3.5"D

Order # 9920-114328

Shipping Weight **6 lbs (2.7kg)** NET **$145.00**

POP Display SaphIR

Acrylic showroom display panel with SaphIR infrared products. Suitable for counter tops or wall mounting. Includes (1) 858, (1) 860 Phantom, (1) 862 receiver and (1) 857 connecting block, (1) 1584.1 emitter and (1) 846C Power supply.
13" W x 8.5"H x 3.5"D

Order # 9920-524066

Shipping Weight **5 lbs (2.7kg)** NET **Call**

TRAVEL CASE A-BUS1

A-BUS® Travel Display Case Includes: **(1) A-KP2** Amplified Keypad, **(1) A-LC2** Local Source Input, **(1) A-H4D** Single Source In-wall Audio Hub, **(1) BP10D** 2 Pair 5 Way Binding Post Plate, **(1) A-PS** 110VAC/24VDC 2.5 amp power supply, **(1) 846C** 110VAC/12VDC IR Power Supply **(1) 6 Outlet Power Strip (1) Portable CD Player**.
***all Mounted In a portable travel case.

Order # 9930-119774

Shipping Weight **16 lbs (7.3kg)** NET **$250.00**

Gloves for wire pulling

Aids wire pulling, resists wire punctures.
Vented back, nitrile palm & fingers. One-size fits all.

Order # 25-1034

Shipping Weight **TBA** NET **Call**

Product and Technology Literature

Brochures

CAV6.6 Controller Amplifier

Four-page, full color consumer brochure describing the CAV6.6 and UNO-S2 Smart Keypad. Size: 8.5″ x 11″

LR1500-0006

SMS3 Smart Media Server

Four-page, full color consumer brochure describing the SMS3 Smart Media Servers. Size: 8.5″ x 11″

LR2420-0002

CAM6.6T & X

Four-page, full-color consumer brochure describes the CAM6.6 controller amplifier with tuner. Size: 8.5″ x 11″

LR1600-0002

UNO-TS2 Smart Color Touchscreen

Four-page, full-color, die cut consumer brochure describes the UNO-TS2 color touchscreen. Size: 8.5″ x 11″

LR2500-0003

CAA66

Four-page, full-color consumer brochure describes the Controller Amplifier Advance, 6 zone/6 source. Size: 8.5″ x 11″

LR1200-0006

CAS44

Four-page, full-color consumer brochure describes the Controller Amplifier Simple, 4 zone/4 source. Size: 8.5″ x 11″

LR1200-0005

A-BUS®

Four-page, full color consumer brochure describing A-BUS distributed audio. Size: 8.5″ x 11″

LR2000-0021

ComPoint™

Four-page, full-color, consumer brochure describes the ComPoint intercom system. Size: 8.5″ x 11″

LR2300-0002

Literature

Product Literature

Advantage™

Eight-page, full-color consumer brochure describes the Advantage Series of custom loudspeakers. Size: 8.5″ x 11″

LR3130-0013

OutBack

Two page, full-color consumer brochure describes the OutBack Series of multipurpose speakers. Size: 8.5″ x 11″

LR3120-0002

Atmosphere

Four-page, full-color consumer brochure describes the Atmosphere Series of loudspeakers. Size: 8.5″ x 11″

LR3170-0001

Contractor

Four-page, full-color consumer brochure describes the Contractor Series of loudspeakers. Size: 8.5″ x 11″

LR3110-0003

OutBack Rocks

Four-page, full-color consumer brochure describes the OutBack Series of Outdoor Rock Speakers
Size: 8.5″ x 11″

LR3120-0003

R-Series Amplifiers

Four-page, full-color consumer brochure describes the R-Series Amps. Size: 8.5″ x 11″

LR2800-0004

russound experience

Two-sided, 12 panel, accordian-fold, full-color brochure.
Size: 6″ x 6″, Opens to 6″ x 36″

LR9910-0051

Distributed Audio (English)

Overview of having multiroom audio in your home. Mails in a number 10 envelope.

LR9910-0026

Distributed Audio (Spanish)

Overview of having multiroom audio in your home. Mails in a number 10 envelope.

LR9910-0028

Product Literature

Posters & Point of Purchase

Atmosphere Poster
Full-color attractive Atmosphere poster. Size: 24″ x 36″

LR9910-0020

Contractor Poster
Full-color attractive Contractor poster. Size: 24″ x 36″

LR9910-0019

ST2 Poster
Full-color attractive ST2 poster. Size: 24″ x 36″

LR9910-0022

SMS3 Poster
Full-color attractive SMS3 poster. Size: 24″ x 36″

LR9910-0021

CAM Poster
Full-color attractive CAM poster. Size: 24″ x 36″

LR9910-0037

Product Step Chart
Laminated desk mat of Russound multiroom products and keypads. 2-sided.17″ x 11″

LR9910-0029

UNO Keypad Wall Talker
Full-color laminated die cut. Fits behind mounted keypad with product description.
Size: 5.75″ x 4.375″

LR2500-0009

Shelf Talker ST2-XM
Laminated POP with adhesive strip to mount to shelving.
4.25″ x 3.5″

LR2410-003

POP Display SaphIR™ Plasma Friendly
Cardboard easel-back counter display for showrooms. 6″ W x 8″ H

LR5100-0007

Gold Guarantee Shelf Talker
Laminated POP with adhesive strip to mount to shelving.
4.25″ x 3.5″

LR6100-0003

Product Demos and Literature CD-ROM

LR9950-0001

Parts

Raw parts pricing

Equipment	Description	Part #
AC Cord, EU Style	For A-PS, AP-48, CA, CAi, CAV, DPA-4.8, DPA-6.12, PR4Zi	09-0512
AC Cord, EU Style	For DPA-1.2 only	09-0516
AC Cord, UK Style	For A-PS, AP-48, CA, CAi, CAV, DPA-4.8, DPA-6.12, PR4Zi	09-0513
AC Cord, UK Style	For DPA 1.2 only	09-0517
AC Cord, US Style	For AP-48, CP4.6, PR4Zi	09-0504
AC Cord, US Style	For PR4Z accessory outlet	09-0505
AC Cord, US Style	For DPA 1.2	09-0510
AC Cord, US Style	For DPA 6.12	09-0511
AC Cord, US Style	For DPA 4.8	09-0518
AC Cord, US Style	For CA, CAi, CAV	09-0515
Antenna, AM	For ST2 & ST2-XM	Jul-13
Antenna, FM	For ST2 & ST2-XM	Jul-14
Antenna, XM	For ST2-XM	41-9988
Cable, Ribbon	For CA 6.4 LRN	Sep-02
Cable, IR Link	For CA & CAi	09-0508
Cable, Stereo RCA	For ST2 & ST2-XM	09-0520
Cable, Programming	For K2 and UNO-S2	2500-121036
Cable, Programming	For ST2-KP and UNO-S1	2500-521065
Connector	4-pole speaker screw terminal for AB-1, AB-2, AP-48, PR4Zi, PRO, & SDB	08-0106
Connector	4-pole for EZB	08-0112
Connector	ALTx output screw terminal	08-0128
Connector	ALTx input screw terminal	08-0129
Connector	4-pole keypad connector for PCK, PCK-IR, PR4Z, & PR4Zi (V G D1 D2)	08-0131
Connector	4-pole paging connector for SPG, PR4Z, & PR4Zi (V G S T)	08-0132
Connector	4-pole speaker screw terminal for DPA	08-0134
Connector	8-pole LPTx connector	08-0135
Connector	4-pole speaker snap connector for ALTx, CAV, EZB, PRO, SDB, K2	08-0524
Connector	4-pole green speaker connector for CA (L- L+ R- R+)	08-0717
Connector	4-pole black speaker connector for CA (L- L+ R- R+)	08-0718
Connector	8-pole keypad connector for CA & CAi	08-0719
Connector	4-pole speaker connector for CAi (L+ L- R- R+)	08-0757
Cover	CAV6.6 cover lens	30-0945
Cover	CAV6.6 program selector	25-1023
Cover	ST2 cover lens	26-1034
Cover	ST2-XM cover lens	26-1036
Feet, Gold	For PR-4Z & PR-4Zi	Jul-05
Feet, Gold	For DPA-4.8 & DPA-6.12	Jul-06
Feet, Silver	For CAV	Jul-07
Feet, Silver	For ST2 & ST2-XM	Jul-55
Fuse	10A 250V for AP-48 & PR-4Z	Jul-01
Fuse	4A 250V for CA & CAi	Jul-04
Fuse	5A 250V for A-48 & PR-4Z	Jul-05
Fuse	6.3A 250V DPA 6.12 & 4.8	Jul-06
Fuse	2A 250V for DPA 1.2	Jul-07
Fuse	1.25A 250V for CAV6.6	Jul-17
Fuse holder	AP-48, PR4Zi, CP4.6	Jul-00
Gasket, Foam	For CA-LCD2, DAN, DSC, PCK, etc.	49-6191
IR Remodulator 56K	For IR emitters	5100-119347
Knob	For PRO & SDB, black	05-0105
Knob	For ALTx, white	05-0116A
Knob	For ALTx, bone	05-0116B
Knob	For ALTx, almond	05-0116C
Knob	For ALTx, black	05-0116D
Knob	For ALTx, brown	05-0116E

Equipment	Description	Part #
Knob	For WALTx, gray	05-0116F
Knob	For A-VC2, white	05-0127A
Knob	For A-VC2, almond	05-0127B
Knob	For A-VC2, bone	05-0127C
Knob	For A-VC2, black	05-0127D
Knob	For A-VC2, brown	05-0127E
Knob	For CA-KP2, white	05-0128A
Knob	For CA-KP2, bone	05-0128B
Knob	For CA-KP2, almond	05-0128C
Knob	For CA-KP2, black	05-0128D
Knob	For CA-KP2, brown	05-0128E
Labels, source	CA-KP2 source labels	26-1011
Legend sheet	For PRO	26-1009
Legend sheet	For SS-4.2 & SS-6.2	26-1010
Legend sheet	For CAV6.6	26-1033
Manual	PRO & PRO-VC	28-0009
Manual	SDB	28-0078
Manual	SS-4.2/SS-6.2	28-0088
Manual	CAi Series	28-0106
Manual	PR-4Zi	28-0107
Manual	DPA-6.12	28-1105
Manual	DPA-1.2	28-1107
Manual	DPA-4.8	28-1118
Manual	ALTx-WIRi	28-1123
Manual	A-H4D	28-1133
Manual	A-H2	28-1134
Manual	A-H4	28-1135
Manual	A-LC2	28-1137
Manual	UNO-S2	28-1141
Manual	CAV6.6	28-1143
Manual	ST2	28-1150
Manual	K2	28-1151
Manual	ST2-XM	28-1160
Manual	SMS3	28-1162
Plate, Keypad	CA-KP2 White	49-0010A
Plate, Keypad	CA-KP2 Bone	49-0010B
Plate, Keypad	CA-KP2 Almond	49-0010C
Plate, Keypad	CA-KP2 Black	49-0010D
Plate, Keypad	CA-KP2 Brown	49-0010E
Plate, Volume Control	ALTx & LPTx White	49-6001A
Plate, Volume Control	ALTx & LPTx Bone	49-6001B
Plate, Volume Control	ALTx & LPTx Almond	49-6001C
Plate, Volume Control	ALTx & LPTx Black	49-6001D
Plate, Volume Control	ALTx & LPTx Brown	49-6001E
Plate, Keypad	CA-LCD2 White	49-6113A
Plate, Keypad	CA-LCD2 Almond	49-6113B
Plate, Keypad	CA-LCD2 Bone	49-6113C
Plate, Keypad	CA-LCD2 Black	49-6113D
Plate, Keypad	CA-LCD2 Brown	49-6113E
Plate, Keypad	A-KP2 White	49-6114A
Plate, Keypad	A-KP2 Almond	49-6114B
Plate, Keypad	A-KP2 Bone	49-6114C
Plate, Keypad	A-KP2 Black	49-6114D
Plate, Keypad	A-KP2 Brown	49-6114E
Plate, VC Decora Insert	ALTx & LPTx White	49-6117A
Plate, VC Decora Insert	ALTx & LPTx Bone	49-6117B
Plate, VC Decora Insert	ALTx & LPTx Almond	49-6117C
Plate, VC Decora Insert	ALTx & LPTx Black	49-6117D
Plate, VC Decora Insert	ALTx & LPTx Brown	49-6117E
Plate, Keypad	DSC White	49-6118A
Plate, Keypad	DSC Almond	49-6118B
Plate, Keypad	DSC Bone	49-6118C
Plate, Keypad	DSC Black	49-6118D
Plate, Keypad	DSC Brown	49-6118E
Plate, Keypad	DAN White	49-6119A
Plate, Keypad	DAN Almond	49-6119B
Plate, Keypad	DAN Bone	49-6119C
Plate, Keypad	DAN Black	49-6119D

Raw parts pricing

Equipment	Description	Part #
Plate, Keypad	DAN Brown	49-6119E
Plate, Keypad	A-VC2 White	49-6120A
Plate, Keypad	A-VC2 Almond	49-6120B
Plate, Keypad	A-VC2 Bone	49-6120C
Plate, Keypad	A-VC2 Black	49-6120D
Plate, Keypad	A-VC2 Brown	49-6120E
Plate, Keypad	PCK White	49-6122A
Plate, Keypad	PCK Almond	49-6122B
Plate, Keypad	PCK Bone	49-6122C
Plate, Keypad	PCK Black	49-6122D
Plate, Keypad	PCK Brown	49-6122E
Plate, Keypad	A-LC2 White	49-6123A
Plate, Keypad	A-LC2 Almond	49-6123B
Plate, Keypad	A-LC2 Bone	49-6123C
Plate, Keypad	A-LC2 Black	49-6123D
Plate, Keypad	A-LC2 Brown	49-6123E
Plate, Keypad	858 White	49-6124A
Plate, Keypad	858 Almond	49-6124B
Plate, Keypad	858 Bone	49-6124C
Plate, Keypad	858 Black	49-6124D
Plate, Keypad	858 Brown	49-6124E
Plate, Keypad	PCK-IR White	49-6125A
Plate, Keypad	PCK-IR Almond	49-6125B
Plate, Keypad	PCK-IR Bone	49-6125C
Plate, Keypad	PCK-IR Black	49-6125D
Plate, Keypad	PCK-IR Brown	49-6125E
Plate, Keypad	SPG White	49-6192
Plate, Keypad	SPG Almond	49-6192A
Plate, Keypad	SPG Bone	49-6192B
Plate, Keypad	SPG Black	49-6192C
Plate, Keypad	SPG Brown	49-6192D
Plate, Cover	UNO-S2/IR2 White	50-0038
Plate, Cover	UNO-S2/IR2 Bone	50-0038B
Plate, Cover	UNO-S2/IR2 Almond	50-0038C
Plate, Cover	UNO-S2/IR2 Black	50-0038D
Plate, Cover	UNO-S2/IR2 Brown	50-0038E
Plate, Insert	UNO-S2/IR2 White	50-0039
Plate, Insert	UNO-S2/IR2 Bone	50-0039B
Plate, Insert	UNO-S2/IR2 Almond	50-0039C
Plate, Insert	UNO-S2/IR2 Black	50-0039D
Plate, Insert	UNO-S2/IR2 Brown	50-0039E
Plate, Mounting	For UNO-S2 & UNO-IR2	50-0040
Plate, Cover	UNO-S1 White	50-0058
Plate, Cover	UNO-S1 Bone	50-0048
Plate, Cover	UNO-S1 Almond	50-0059
Plate, Cover	UNO-S1 Black	50-0049
Plate, Cover	UNO-S1 Brown	50-0050
Plate, Insert	UNO-S1 White	50-0056
Plate, Insert	UNO-S1 Bone	50-0051
Plate, Insert	UNO-S1 Almond	50-0057
Plate, Insert	UNO-S1 Black	50-0052
Plate, Insert	UNO-S1 Brown	50-0053
Plate, Insert	ISK-1 (white)	49-7034A
Plate, Insert	ISK-1 (black)	49-7034E
Plate, Insert	ISK-1 (brown)	49-7034D
Plate, Insert	ISK-1 (almond)	49-7034B
Plate, Insert	ISK-1 (bone)	49-7034C
Plate, Insert	ISK-2 (white)	49-7039A
Plate, Insert	ISK-2 (black)	49-7039E
Plate, Insert	ISK-2 (brown)	49-7039D
Plate, Insert	ISK-2 (almond)	49-7039B
Plate, Insert	ISK-2 (bone)	49-7039C
Remote Control	SMS3 remote control	2420-121324
Power Supply	SMS3 Power Supply	51-0017
Power Supply	All ST2 chassis Power Supply	51-0019
Remote Control	ST2 remote control	2410-121883
Plate, Cover	Home Theater	51-0100
Punch Down Tool	Tool for 110 punch-down	PUNCH DOWN
Equipment	Description	Part #
Rack Mount Ears	For CAV	07-0313
Rack Mount Ears	For ST2 & ST2-XM	07-0314
Screwdriver	Russound Screwdriver	55-0212

Equipment	Description	Part #
Patch Plug	S110 Patch Plug	8200-526756
Source Name Labels	KP6 & KP4 (left)	26-2093
Source Name Labels	KP6 & KP4 (right)	26-2092
Speaker Frame	Advantage & Atmosphere 5.25 ceiling	52-0161
Speaker Frame	Advantage & Atmosphere 6.5 ceiling	52-0150
Speaker Frame	Advantage & Atmosphere 8 ceiling	52-0164
Speaker Frame	Advantage & Atmosphere 6.5 in-wall	52-0154
Speaker Frame	Advantage & Atmosphere 8 in-wall	52-0168
Speaker Bracket	OB4.1 (black)	52-0281
Speaker Bracket	OB4.1 bracket (white)	52-0280
Speaker Bracket	OB5.1 bracket (black)	52-0279
Speaker Bracket	OB5.1 bracket (white)	52-0278
Speaker Bracket	OB6.1 bracket (white)	52-0282
Speaker Bracket	OB6.1 bracket (black)	52-0283
Speaker Bracket	OBSOLO bracket (black)	
Speaker Bracket	OBSOLO bracket (white)	
Speaker Screws	OB Screws (white)	07-0520
Speaker Screws	OB Screws (black)	07-0519
Speaker Grille, White	OB-4.1	52-0120
Speaker Grille, White	OB-5.1	52-0121
Speaker Grille, White	OB-6.1	52-0122
Speaker Grille, Black	OB-4.1	52-0123
Speaker Grille, Black	OB-5.1	52-0124
Speaker Grille, Black	OB-6.1	52-0125
Speaker Grille, White	SP503.1, SP522.1, SP523.1	52-0117
Speaker Grille, White	SP550.2	52-0118
Speaker Grille, White	SP632.1	52-0126
Speaker Grille, White	SP650.1	52-0119
Speaker Grille, White	SP-C503	52-0129
Speaker Grille, White	SP-C522	52-0130
Speaker Grille, White	SP-C523	52-0131
Speaker Grille, White	SP-C550	52-0132
Speaker Grille, White	SP-C622	52-0133
Speaker Grille, White	SP-C623	52-0134
Speaker Grille, White	SP-C650	52-0135
Speaker Grille, White	Advantage & Atmosphere 5.25 ceiling	52-0181
Speaker Grille, White	Advantage & Atmosphere 6.5 ceiling	52-0179
Speaker Grille, White	Advantage & Atmosphere 8 ceiling	52-0182
Speaker Grille, White	Advantage & Atmosphere 6.5 in-wall	52-0178
Speaker Grille, White	Advantage & Atmosphere 8 in-wall	52-0180
Trim Ring	UNO-TS2 (white)	49-7009
Trim Ring	UNO-TS2 (black)	49-7011
Trim Ring	UNO-TS2 (brown)	49-7012
Trim Ring	UNO-TS2 (almond)	49-7013
Trim Ring	UNO-TS2 (bone)	49-7010

Keypad Colors



Five Color Swatches

These swatches show the 5 color choices available for many of our keypads and wallplates. Please see specific product entries in this guide for exact color availability.

Warranty

Terms

RUSSOUND'S
NEW VOLUME CONTROL
WARRANTY POLICY
The hassle-free "Gold Guarantee"
3 important reasons to buy
Russound volume controls
Easy installation – ALTx volume controls are now available with snap connectors for faster, easier installation as well as more reliable connections.
Bulletproof – the ALTx line of volume controls has a high power handling capability of 125W for superior performance, added reliability and durability.
Hassle-free Gold Guarantee – Russound is so confident in the performance and reliability of its ALTx volume controls that if one should fail for any reason, we'll send you a replacement free of charge (No return necessary). Simply contact Russound customer support with your shipping address and we'll promptly send a free replacement to you.
(Proof of purchase may be required)

PRODUCT CATEGORY WARRANTY

SOURCE EQUIPMENT: TWO YEAR LIMITED WARRANTY (ST2, ST2-XM) ONE YEAR LIMITED WARRANTY (SMS3 Smart Media Server)

CAV/CAM: TWO YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS.(CAV6.6, CAM6.6, INCLUDING KITS, UNO LRC1, UNO-S2, UNO-S1, UNO-TS2)

CAA, CAS: TWO YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS.(CAS44, KP4, CAA66, KP6, KPL, KPSC, SRM-2.1, ADP-1)

A-BUS: TWO YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS. (A-KP2, A-H4, A-H4D, A-H2, A-H484, A-PS, A-LC2, A-LRC1, A-VC, A-H4DX)

R-SERIES AMPLIFIERS: TWO YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS. (R235LS, R275HC, R850ML, R1250MC)

COMPLEMENT SUBWOOFERS: TWO YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS. (R8DT, R10DT, R12DT)

SPEAKER SELECTORS: TEN YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS. (SS, PRO, PRO-VC, SDB, AB, WCN-12, WB-1, AX-6)

VOLUME CONTROLS: LIMITED LIFETIME WARRANTY FOR THE FOLLOWING PRODUCTS. (ALTx, LPTx, WALTx2, TBL)

SPEAKERS: FIVE YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS.(CONTRACTOR SERIES, OUTBACK AND ROCKS SERIES SPEAKERS) LIMITED LIFETIME WARRANTY FOR THE FOLLOWING PRODUCTS. (ADVANTAGE SERIES, ATMOSPHERE SERIES SPEAKERS)

INFRARED: TWO YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS. (SaphIR)

ACCESSORIES: TWO YEAR LIMITED WARRANTY FOR THE FOLLOWING PRODUCTS. (ACT-1, EZB,LFP-1, ADP-1, SSVC)

RETURNS AND WARRANTY POLICY

Russound sells products only through authorized Dealers and Distributors to ensure that customers obtain proper support and service. Any Russound product purchased from an unauthorized dealer or other source, including retailers, mail order sellers and online sellers will not be honored or serviced under existing Russound warranty policy. Any sale of products by an unauthorized source or other manner not authorized by Russound shall void the warranty on the applicable product.

Returns must be authorized and be accompanied with an R.A. number and a copy of the proof of purchase. A 15% restocking charge may apply. Any returns for repair found to be non-defective may result in a fifty dollar minimum charge.

Any product returned without a Return Authorization Number will be returned at dealer expense.

For further warranty information, see Russound product manuals.

From the #1 Brand
in Multiroom Audio*

Offer homebuyers MORE

A-BUS® Multiroom
Audio Systems

CA Series Multiroom
Audio Systems

RNET® Multiroom
Audio/Video Systems

ComPoint™ Music Lover's
Intercom Solution

Architectural & Outdoor Speakers

iBridge Dock

Make Russound's easy-to-use music and intercom systems part of the plan

With wired homes on the rise, more and more homebuyers are asking for multiroom audio systems. Why? Because a multiroom audio system is the kind of home improvement that brings pleasure every day.

And no company does it better than Russound. In fact, more integrators prefer and install* Russound because our products provide the reliability, performance, ease of installation and user-friendliness they demand.

Take advantage today by partnering with qualified Russound integrators. Call 1-800-638-8055 to find an integrator near you and to learn more about Russound's Builder Program.

Together, we can help you stand out from your competition… and increase your profits.

All you need to know is Russound.

Founded in 1967, Russound is a global leader in A/V solutions that set the standard for performance and ease of use. ©2006 Russound, Inc.

www.russound.com | tel 800.638.8055

Russound®

iPod is a registered trademark of Apple Computer, Inc. *June, 2005 & 2006 studies by EH Research

Russound®

Tel +1 603 659 5170
Fax +1 603 659 5388
intlsales@russound.com
www.russound.com

5 Forbes Road
Newmarket, NH 03857
USA

Available From

For Wholesale Use Only

Order #LR9910-0006
12.15.05